

# AIE Future Intentions Plan\_Watson Block 1 Section 13 Existing Tree Assessment Report



# **Report Information**

Reference	AIE_Tree Assessment Summary Report
Prepared by	Tait Network
On behalf of	Academy of Interactive Entertainment

# **Revision History**

Revision Number	Revision Date	Details	Authorised
Α	25.03.2021	Final for Client	ОТ



# **Table of Contents**

1.0	Overview	1
1.1	Introduction	1
	Legislation	
	_	
3.0	Tree Assessment Summary	7



### 1.0 Overview

### 1.1 Introduction

This tree assessment report has been carried for the Academy of Interactive Entertainment, by Tait Network working alongside a certified level 5 arborist Jamie Macpherson.

The purpose of this assessment was to review the high and exceptionally rated trees that were assessed by Spacelab for Cardno in 2018. The reasoning behind the reassessment was to confirm the health and form of these trees since the recent hotter dryer summers in the past few years. Site visits revealed that a number of the higher quality rated trees were not looking as healthy as they were in the 2018 data sheet images, because of this the assessment was undertaken.

#### **Site Information**

The proposed Academy of Interactive Entertainment (AIE) site (Block 1 Section 13, Watson) is located off Phillip Avenue and is surrounded by a number of residential streets: Burton, Windeyer and A'Beckett Street. The current site has a central building with car parks located to the north and south. Existing tennis courts and cricket nets are located to the south of the building. The technology park is adjacent to an area of open space that has been identified by TCCS as a future playground and community recreation area. See site plan.

#### Methodololgy

The methodology for assessing these trees was to use the same methodology as was used in the Spacelab tree assessment in 2018 to keep the assessment criteria the same and enable a consistent measure when assessing the trees across time. See attachment 2 for assessment methodology.

#### **Previous reports**

Block 1 Section 13, Watson had a previous tree assessment carried out on the 2<sup>nd</sup> May 2018 by Spacelab landscape architects. A further diagnostic assessment was carried out in December 2018 by Tree Works. This assessment looks at the overall health and any remediation works needed.

## 2.0 Legislation

#### **Tree Protection Act 2005**

Under the Tree Protection Act protected trees are classified Registered or Regulated. A Regulated tree is a tree that is located on leased Territory Land in an area declared as a Tree Management Precinct and is either:

- 12m or more in height; or
- Greater than 1.5m in circumference (approximately 0.5m in diameter) or more at 1m above ground level; or
- With two or more trunks and the total circumference of all the trunks, 1m above ground level, is 1.5m or more; or
- 12m in crown width or more;
- A registered tree is a tree that is on the Tree Register.



### 3.0 Tree Assessment Summary

For all tree locations see attached Tree Assessment plan. Refer to attached data sheets for updated information.

The 2018 Spacelab tree assessment rated 14 trees to have either an exceptional or high arboricultural assessment. There were a total of 3 exceptional trees and 11 high quality trees. The review of these trees was to respond to the visual change in the tree health and condition that could be a result of the hotter summers and lack of rain experienced over the past few years that has changed the site conditions and had adverse effects on the trees.

The 3 exceptional trees were T150, T111 and T79, these are all now rated as high-quality trees.

- Tree 150, a Pinus patula is still in good health and is of a large size. The form of the tree however does not warrant the tree as exceptional. This resulted in a down scoring of the form and the arboriculture assessment rating.
- Tree 111 a Quercus robur is also a very large, attractive tree in good health. The tree has been downgraded to high however due to some minor deadwood within the canopy and some slight rust on the leaves.
- Tree 79 is another Quercus robur. This tree is a striking tree that still has good form and is in relatively good health. The tree however has declined slightly from an exceptional rating and has been assessed as high. The contribution and potential contribution have however been upgraded to a rating of 4 as the tree is an important feature within the site and provides a feature for both the site and the street.

Out of the 11 high quality trees that were needing re assessment 5 trees needed their assessments adjusting. Those trees were, 98, 180, 178, 193, 110.

- Tree 98 a Quercus robur has been downgraded to a medium arboriculture assessment. The visual characteristics of this tree do not warrant a high assessment. There is deadwood within the canopy and the tree canopy has become a little sparse. This has led to a downgrade in contribution and potential contribution scoring, the visual scoring has also been changed.
- Tree 180, a Quercus robur has been downgraded from high to a medium arboriculture grade and urban amenity rating, this is due to the form of the tree which is displaying an asymmetrical crown.
- Tree 178, a Quercus robur has been downgraded to a medium arboriculture rating. This tree is showing signs of deadwood throughout the canopy and a sparser canopy. The health and condition of this tree has been downgraded to a 2 as a result.
- Tree 110, a quercus robur has been downgraded to a medium arboriculture rating and also a medium urban amenity rating. This tree has a fair amount of deadwood throughout the canopy and looks to have declined in health slightly possibly due to the extreme summers experienced since the last assessment.
- Tree 193 a Quercus robur has been given a medium arboriculture rating and a downgraded urban amenity assessment, the appearance of this tree does not qualify it as a high rated tree. The canopy has become sparse and there is some deadwood throughout the canopy.



# **Attachment 1**

**Tree Assessment Methodology** 



# TREE ASSESSMENT METHODOLOGY

## **ASSESSMENT INFORMATION AND CODES**

The following provides detail information on the codes used in the Tree Assessment data collection form.

**Number:** Reference Number. Each tree/group of trees is numbered to link Plan and Report

### **GENERAL TREE DATA**

**Assessment Date:** Date field assessment carried out.

**Assessor:** Name of field assessor.

Tree Location: Accurate location, ACT grid coordinates, Stromlo Projection,

Eastings and Northings of tree position.

Species: Tree species identification, Botanical and Common Name

**Height:** Tree height in metres.

**Canopy Spread:** Tree canopy diameter in metres shown as the maximum crown width of the tree.

**Trunk Circumference:** Tree trunk circumference in millimetres, measured 1 metre above ground level.

Number of Trunks: Number of trunks at 1 metre above ground level.

### **QUALITY CLASSIFICATION**

### **Regulated Tree:**

Regulated tree in accordance with the ACT Tree Protection Act, 2005

Y - Yes

N - No

#### **Arboricultural Assessment:**

- **E** Exceptional tree. Mature specimen. Grand appearance and stature. Well balanced. Little or no epicormic growth and/or dead wood.
- **H** Mature specimen. Good appearance and structure. Little or no epicormic growth and/or dead wood.
  - Juvenile or adolescent specimen or group of trees or regeneration that does not meet the requirements of the Act but which is of good form and health with potential to become a Regulated tree or the potential to contribute to the landscape or urban amenity in the future.
- M Mature specimen. Sparse or pale coloured foliage. Epicormic growth and/or dead wood throughout the crown. Evidence of some branch fall. Less than desirable form.
  - Juvenile or adolescent specimen or group of trees or regeneration that does not meet the requirements of the Act which has some negative characteristics but with cost effective maintenance and/or management has the potential to become a Regulated tree or the potential to contribute to the landscape or urban amenity in the future.
- P Mature, senescent or other specimen tree of poor form or with significant die back or sparse foliage. Disease, decay, hollows, large limb drop, included bark forks. Short life expectancy.

### **Urban Amenity Contribution**

- E Exceptional quality. A tree that meets at least two of the following qualities
  - H Visual/Scenic Quality
  - H Unique Species
  - H Habitat Quality
  - H Cultural /Heritage Value
  - H Social Value
  - H Scientific Value

(Note: A tree, as an example, may be considered "Exceptional" on the basis of high scientific importance but be of poor form and condition and represent a significant hazard).

- H High quality. A tree of good form and condition without significant defects and which when managed does not represent a significant hazard or an unreasonable financial impost.
- **M** Medium quality. A tree of reasonable form, structure and health and not likely to represent a significant hazard.
- **P** Poor quality. A tree of poor form, structure or health or in decline or likely to represent a significant hazard.

### Recommendations

Recommendations are based on professional arborist and landscape architect's judgement following evaluation of the overall components of the full assessment.

**R&M** Retain and manage the tree

R Remove the tree

### ARBORICULTURAL CHARACTERISTICS

### **Canopy Density:** Relative density of canopy foliage:

- **3** Full canopy (80% to 100%)
- 2 Part canopy (20% to 80%)
- **1** Sparse canopy (<20%)

# Canopy Dead Wood: Amount of dead wood in the canopy as a % of the

canopy:

- 3 0% to 20%
- 2 20% to 60%
- 1 60% to 100%

### **Insect Occurrence:** Evidence of insect attack:

- 3 None
- 2 Moderate
- 1 Significant

### **Disease:** Evidence of disease present:

- 3 None
- 2 Moderate
- 1 Significant

### **Epicormic Growth:** Presence of epicormic growth:

- 3 None
- 2 Moderate
- 1 Significant

### **Mistletoe:** Presence of mistletoe in canopy:

- 3 None
- 2 Up to 5 clumps moderate
- 1 More than 5 clumps

**Form:** Canopy balance and distribution of the relative to the normal habit of the tree species:

- 4 Typical of species
- 3 Stunted
- 2 Unbalanced/lopsided canopy
- 1 Trunk lean approx. 30° or more off vertical

Age: Approximate age:

- 4 Juvenile
- 3 Adolescent
- 2 Mature
- 1 Senescent

**Habitat Value:** Habitat value provided by tree e.g. considering nesting hollows, seed pods etc:

- 4 Food source or nesting hollows for endangered species,
- 3 Limited habitat potential,
- 2 No identifiable habitat,
- 1 Potential for harbouring pest species.

**Disturbance Tolerance:** Tolerance to disturbance within the tree protection zone based on species characteristics and site conditions:

- **3** High, tree species generally tolerant of some disturbance,
- 2 Medium, tree species that may tolerate limited disturbance,
- **1** Low, tree species generally highly sensitive to disturbance.

**Risk Potential:** Risk potential, structural integrity, associated with trunk and major branches:

- **3** Low risk potential, good structural integrity with low risk potential and may require minimal or no horticultural maintenance,
- **2** Medium risk potential, poor branch unions, narrow angle branch forks or multiple leaders etc where risk can be mitigated by tree surgery and horticulture maintenance techniques,
- 1 Significant risk potential, decay within trunk or major branches, prevalence of hallows or decay, depressed sections of the trunk, storm damage etc where risk can be mitigated by extensive tree surgery or horticultural techniques.

**Health/Condition:** Overall health and condition of the tree based on arboricultural assessment crown and trunk of the tree:

- 4: Excellent
- **3:** Good
- **2:** Fair
- 1: Poor

### URBAN AMENITY CHARACTERISTICS

**Contribution to Existing Landscape:** What level of contribution does the tree make to the existing landscape setting?

- 3 Significant
- 2 Moderate
- 1 None

**Potential Contribution to Future Landscape:** What level of contribution does the tree potentially have for future landscape settings?

- 3 Significant
- 2 Moderate
- 1 None

**Visual / Scenic:** Visual and scenic quality of the tree when viewed from within and beyond the site based on the form, condition, species, health and size:

- 3 Significant
- 2 Moderate
- 1 Low

**Unique species:** Based on the rarity or commonness of the species in the region or growing at the extent or outside of its normal range and the abundance of the species within its geographic range:

- 2 Rare
- 1 Common

**Habitat Quality:** Based on the potential to retain or attract native fauna:

- **3** Provides significant habitat to native birds or arboreal animals,
- 2 Ability to retain or attract native birds or arboreal animals,
- 1 No habitat opportunity for native fauna or known to harbour exotic pests

Cultural Value: Does the tree have cultural/heritage value?

- 2 Yes
- **1** No

**Social Value:** Does the tree posses social benefit? e.g. is there community connection to its planting or location?

- 2 Yes
- **1** No

**Scientific Value:** Does the tree posses scientific interest? e.g. genetic, stunted growth/habitat, climatic range.

- 2 Yes
- **1** No

**Remnant Species:** Is the tree a remnant species?

- 2 Yes
- 1 No

### TREE PROTECTION / MANAGEMENT

**Tree Protection Zone and Conditions:** The tree protection zone defines the minimum distance from the outer edge of the tree canopy or the face of the trunk of the tree for any groundwork under the canopy of the tree that is likely to harm the tree including building, trenching, material storage, changing soil levels, compacting or contaminating the soil. The tree protection zones are based on the Quality Classification ratings.

- **3** For **Exceptional Quality Trees** erect 1.8m high chain link fence at least 5m from the canopy or 4m from the trunk, whichever is the greater.
- **2 -** For **High Quality Trees** erect 1.8m high chain link fence at least 2m from the canopy or 4m from the trunk, whichever is the greater.
- **1 -** For **Medium Quality Trees** erect 1.8m high chain link fence at least 2m from the canopy or 4m from the trunk, whichever is the greater.

Condition for the establishment and maintenance of the tree protection zones should include the following:

- (a) For especially tall and/or slender trees or trees noted as having exposed roots
   as recorded in Arboricultural Notes
- (b) Tree protection zone fenced prior to commencement of any demolition/construction
- (c) Fencing to be maintained during construction phase
- (d) No storage of materials or machinery within the Tree Protection Zone

**Potential to Reduce Risk:** Are there arboricultural/horticultural works that can be carried out to reduce potential risks?

- 3 Significant works
- 2 Moderate works
- 1 None

**Potential to improve amenity value:** Are there arboricultural/horticultural works that can be carried out to improve the potential amenity value of the tree.

- 3 Significant works
- 2 Moderate works
- 1 None

### ARBORICULTURAL NOTES

Detailed notes on specific arboricultural issues associated with the tree if not covered in the characteristics assessment.

### **AMENITY NOTES**

Detailed notes on specific landscape amenity values of the tree if not covered in the characteristics assessment.

### LANDSCAPE TREE GROUPS

The assessment of landscape trees that are clearly identifiable as dense uniform landscape groups to be assessed as groups for their potential contribution to future urban amenity. The groups are to be considered and assessed on the same bases a as individual trees.

- **3** An identifiable group of trees that when considered as a whole meet at least one of the values for Tree Quality Classification of Exceptional Quality.
- **2** A clearly identifiable group of landscape trees that includes trees that meet the requirements for assessment under the Tree Protection Act, 2005 and has the potential to contribute to the future urban amenity.
- 1 A clearly identifiable group of landscape trees that may include trees that do not meet the requirements for assessment under the Tree Protection Act, 2005 and has the potential to contribute to the future urban amenity.

# **Attachment 2**

**Tree Assessment Data Sheets** 





DATA		
Assessment Date:	24/03/21	
Assessor:	TN JM	
Tree Location:		
E:	N:	
Species: Quercus robur		
Height: Metres	10	
Canopy Spread: Metres	28	
Trunk Circumference: mm	2420	
Number of Trunks:	1	

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	30
Potential to Reduce Risk	2
Potential to Improve Amenity	2

TREE NUMBER	T79

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Н
Urban Amenity Assessment	Н
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERIS	STICS
Canopy Density	3
Canopy Dead Wood	3
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	4
Age	2
Habitat Value	1
Disturbance Tolerance	1
Risk Potential	2
Health / Condition	4

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	4
Potential	
Potential Contribution to Future	4
Landscape	
Visual / Scenic	3
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

AMENITY NOTES - RECOMMENDED ACTION		





DATA	
Assessment Date:	24/03/21
Assessor:	TN JM
Tree Location:	
E:	N:
Species:	
Quercus robur	
Height: Metres	13
Canopy Spread: Metres	19
Trunk Circumference: mm	1220
Number of Trunks:	1

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	21
Potential to Reduce Risk	2
Potential to Improve Amenity	2

TREE NUMBER	T98
-------------	-----

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Medium
Urban Amenity Assessment	High
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTIC	S
Canopy Density	3
Canopy Dead Wood	3
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	4
Age	2
Habitat Value	1
Disturbance Tolerance	1
Risk Potential	2
Health / Condition	3

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	2
Potential	
Potential Contribution to Future	2
Landscape	
Visual / Scenic	2
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

AMENITY NOTES - RECOMMENDED ACTION
Decline in health some deadwood.





DATA	
Assessment Date:	24/02/21
Assessor:	TN JM
Tree Location:	
E:	N:
Species:	
Quercus robur	
Height: Metres	12
Canopy Spread: Metres	10
Trunk Circumference: mm	1060
Number of Trunks:	1

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	12
Potential to Reduce Risk	2
Potential to Improve Amenity	2

TREE NUMBER T110
------------------

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Medium
Urban Amenity Assessment	Medium
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTIC	S
Canopy Density	3
Canopy Dead Wood	3
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	3
Age	2
Habitat Value	1
Disturbance Tolerance	2
Risk Potential	2
Health / Condition	3

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	3
Potential	
Potential Contribution to Future	3
Landscape	
Visual / Scenic	3
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

AMENITY NOTES - RECOMMENDED ACTION	
Some deadwood, asymmetrical crown	





DATA		
Assessment Date:	24/03/21	
Assessor:	TN JM	
Tree Location:		
E:	N:	
Species:		
Quercus robur		
Height: Metres	12	
Canopy Spread: Metres	28	
Trunk Circumference: mm	2400	
Number of Trunks:	1	

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	30
Potential to Reduce Risk	2
Potential to Improve Amenity	2

	TREE NUMBER	T111
--	-------------	------


QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Н
Urban Amenity Assessment	Н
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTICS	
Canopy Density	3
Canopy Dead Wood	3
Insect Occurrence	3
Disease	2
Epicormic Growth	3
Mistletoe	3
Form	4
Age	2
Habitat Value	1
Disturbance Tolerance	1
Risk Potential	2
Health / Condition	3

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	3
Potential	
Potential Contribution to Future	3
Landscape	
Visual / Scenic	3
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

AMENITY NOTES - RECOMMENDED ACTION
Slight rusting on leaves.





DATA		
Assessment Date:	24/03/21	
Assessor:	TN JM	
Tree Location:		
E:	N:	
Species:		
Pinus patula		
Height: Metres	17	
Canopy Spread: Metres	29	
Trunk Circumference: mm	5000	
Number of Trunks:	1	

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	31
Potential to Reduce Risk	2
Potential to Improve Amenity	2

TREE NUMBER	T150

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Н
Urban Amenity Assessment	Н
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTICS	
Canopy Density	3
Canopy Dead Wood	3
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	3
Age	2
Habitat Value	1
Disturbance Tolerance	2
Risk Potential	2
Health / Condition	3

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	3
Potential	
Potential Contribution to Future	3
Landscape	
Visual / Scenic	3
Unique Species	2
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

AMENITY NOTES - RECOMMENDED ACTION	





DATA	
Assessment Date:	24/03/21
Assessor:	TN JM
Tree Location:	
E:	N:
Species: Quercus robur	
Height: Metres	14
Canopy Spread: Metres	18
Trunk Circumference: mm	1050
Number of Trunks:	1

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	20
Potential to Reduce Risk	2
Potential to Improve Amenity	2

### RECOMMENDED ARBORICULTURE ACTION

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Medium
Urban Amenity Assessment	Medium
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTICS	
Canopy Density	2
Canopy Dead Wood	2
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	4
Age	2
Habitat Value	1
Disturbance Tolerance	2
Risk Potential	2
Health / Condition	2

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	2
Potential	
Potential Contribution to Future	2
Landscape	
Visual / Scenic	3
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

### AMENITY NOTES - RECOMMENDED ACTION

Tree has a fair amount of deadwood, some light insect attack





DATA		
Assessment Date:	24/03/21	
Assessor:	TN JM	
Tree Location:		
E:	N:	
Species: Quercus Robur		
Height: Metres	14	
Canopy Spread: Metres	18	
Trunk Circumference: mm	1050	
Number of Trunks:	1	

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	
Potential to Reduce Risk	2
Potential to Improve Amenity	2

TREE NUMBER	T180
-------------	------

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Medium
Urban Amenity Assessment	Medium
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTIC	CS .
Canopy Density	3
Canopy Dead Wood	3
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	3
Age	2
Habitat Value	1
Disturbance Tolerance	2
Risk Potential	2
Health / Condition	3

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	3
Potential	
Potential Contribution to Future	3
Landscape	
Visual / Scenic	2
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1





DATA	
Assessment Date:	24/03/21
Assessor:	TN JM
Tree Location:	
E:	N:
Species: Quercus robur	
Height: Metres	13
Canopy Spread: Metres	26
Trunk Circumference: mm	1550
Number of Trunks:	1

TREE PROTECTION/MANAGEMENT	
Tree Protection Zone	15
Potential to Reduce Risk	2
Potential to Improve Amenity	2

### RECOMMENDED ARBORICULTURE ACTION

TREE NUMBER	T193

QUALITY CLASSIFICATION	
Regulated Tree	Υ
Arboricultural Assessment	Medium
Urban Amenity Assessment	Medium
Recommendation:	
Retain and Manage	Υ
Remove	

ARBORICULTURAL CHARACTERISTIC	S
Canopy Density	2
Canopy Dead Wood	2
Insect Occurrence	3
Disease	3
Epicormic Growth	3
Mistletoe	3
Form	4
Age	2
Habitat Value	1
Disturbance Tolerance	2
Risk Potential	2
Health / Condition	2

URBAN AMENITY CHARACTERISTICS	
Contribute to Existing Landscape	3
Potential	
Potential Contribution to Future	3
Landscape	
Visual / Scenic	2
Unique Species	1
Habitat Quality	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1

### **AMENITY NOTES - RECOMMENDED ACTION**


Some dead wood throughout canopy. Canopy density lacking sightly



## **Attachment 3**

**Tree Assessment Plan** 







# AIE Future Intention Plan\_Watson Block 1 Section 13 Existing Tree Visual Assessment Summary



# **Report Information**

Reference	AIE_Amenity Tree Summary Report
Prepared by	Tait Network
On behalf of	Academy of Interactive Entertainment

# **Revision History**

Revision Number	Revision Date	Details	Authorised
Α	23.03.2021	Final for Client	ОТ



## **Table of Contents**

1.0	Introduction	1
1.1	Background information	1
1.2	Reference Plan	3
2.0	Visual amenity assessment summary	4
2.1	Image Location 1	4
2.2	Image Location 2	4
2.3	Image Location 3	5
2.4	Image Location 4	5
2.5	Tree group A	5
2.6	Tree group B	6
2.7	Tree group C	7



### 1.0 Introduction

### 1.1 Background information

#### **Site Information**

The proposed Academy of Interactive Entertainment (AIE) site (Block 1 Section 13 Watson) is located off Phillip Avenue and is surrounded by a number of residential streets: Burton, Windeyer and A'Beckett street. The current site has a central building with car parks located to the north and south. On site are also existing tennis courts and cricket nets. The AIE site is adjacent to an area of open space that has been identified by TCCS as a future playground and community recreation area. See site plan.

### **Previous reports**

Block 1 Section 13 Watson has had a previous tree assessment carried out on the 2<sup>nd</sup> of May 2018 undertaken by Spacelab landscape architects. A further diagnostic assessment was carried out in December 2018 by Tree Works. This assessment looks at the overall health and any remediation works needed. A further assessment has been undertaken more recently on the 24<sup>th</sup> March 2021 by Tait Network and a certified level 5 arborist to establish if the recent drought has affected any of the high and exceptional trees on the site.

#### Visual assessment

An onsite visual assessment of all trees within and surrounding the project boundary was undertaken by Tait Network on the 9<sup>th</sup> December 2020. This assessment was undertaken as part of the design process to establish the amenity quality of the trees and what groups of trees would bring the most positive attributes to the future AIE site. The aim of the assessment was to visually assess groups of trees that could be used as key focal points within the proposed development and groupings that would maintain the feel and character of the existing site at the same time as enabling the site to develop and grow into an innovative future campus. See reference plan for groupings and image locations.

The findings of this assessment overall were that there were numerous groupings of trees that would help with grounding the future design of the AIE site. The key groupings are those trees around the perimeter of the site. These trees provide an important buffer between the residents and the streets to the proposed development. There are also a number of high-quality trees throughout the site that can be framed and used within the proposed sites open space areas.





Site Plan TCCS proposed park




### 1.2 Reference Plan

The reference Plan has different amenity ratings given to the individual trees. For the purpose of this report the trees will be summarised as groups. The tree reference plan has the following ratings

- High amenity value trees
- Moderate amenity value trees
- Low amenity value trees

#### **Reference Plan**





## 2.0 Visual amenity assessment summary

### 2.1 Image Location 1



This grouping of trees within the north west corner of the site is a good example of the type of tree formations that appears around the majority of the boundary. The Quercus robur provide a good buffer between the proposed development and the residents on A'Beckett Street. The tree group will also provide good amenity for the students and local community to sit, shelter and study.

A large high quality tree adjacent to this group could provide a great opportunity for a key alignment to a key boulevard or pedestrian route within the campus.

### 2.2 Image Location 2

This image is looking at a group of trees along the site boundary in the north eastern corner of the site. These trees are predominantly Quercus robur. Again, the group provides an effective buffer between the site and adjacent residents and will help the future development of AIE sit well within the existing character. Additional trees added to maximise the group will further help to integrate the proposed development with the character of the existing site.





### 2.3 Image Location 3

This is image is located at the western corner of the site. The mix of Eucalyptus mannifera and Quercus robur give this corner a distinctive character. The Eucalyptus mannifera consistent with the street plantings on Phillip Avenue gives the opportunity for a grand entrance for the future development. The Quercus robur scattered around the corner of the site will help integrate the future building within the existing character and provide positive amenity to the students and visitors.



### 2.4 Image Location 4

Image 4 is taken looking out to the southern corner of the site, close to the tennis courts and beyond.

This tree grouping is a mix of Quercus robur, Pinus radiata, Casuarina cunninghamiana and Fraxinus oxycarpa. The tree grouping is dense which will again help to set the future development well within its natural character. The tree group also provides good separation between the campus and intersection of Phillip Avenue and Windeyer Street.



### 2.5 Tree group A

Tree group A is made up of Fraxinus oxycarpa located close to the northern boundary of the site.



This grouping of trees would contribute to positively to the future site. The site proposal could utilise these trees as an internal open space and recreational area for the students. It is a great opportunity to utilise the group of existing trees and bring the site character into the new development.



### 2.6 Tree group B

The grouping in area B is made up of Sophora japonica. There is an opportunity to use this grouping to add to the quality of the future AIE site by integrating it into a public realm area and making a feature from them.





### 2.7 Tree group C

Tree group C is a mixed group of trees including Saphora japonica, Fraxinus oxycarpa and Platanus acerfolia. This internal group of trees is a group that could be in alignment with a key access way through the campus, leading to the adjacent open space area. The Platanus acerfolia (see image) is a large striking tree that would make a great focal point of the public and student realm.





# **Attachment 1**





This SpaceLab report has been made available on the AIE Community Website https://community.aie.edu.au/ with the permission of The ACT Government.



# TREE ASSESSMENT SLA Format

J18-00390

**BLOCK 1 SECTION 13 WATSON** 

Prepared for: Cardno Date: 02.05.2018 Revision: A Prepared by: AJ

**AUSTRALIAN STANDARD** 

Quality Systems –AS/NZS ISO 9001:2008
Occupational Health and Safety System – AS4801:2001
Environmental Management System – AS/NZS ISO 14001:2004

Unit 5/97 Northbourne Avenue Turner ACT 2612 P: (02) 6262 6363

# **Table of Contents**

1.	OVERVIEW	1
1	.1 Introduction	1
	.2 Site Description	1
2.	ASSESSMENT INVENTORY	3
3.	TREE ASSESSMENT METHODOLOGY	3
GEN	NERAL TREE DATA	3
ARE	BORICULTURAL CRITERIA DEFINITIONS	5
TRE	E ASSESSMENT - ARBORICULTURAL ASSESSMENT RATING DEFINITIONS	7
URE	BAN AMENITY CRITERIA DEFINITIONS	9
TRE	E ASSESSMENT - CONTRIBUTION TO URBAN AMENITY RATING DEFINITIONS	10
LAN	IDSCAPE TREE GROUPS DEFINITIONS	11
TRE	E PROTECTION / MANAGEMENT FOR TREES TO BE RETAINED	12
4.	RECOMMENDATIONS	13
5.	NOTES / DISCLAIMER	14
6.	Appendix A Tree Assessment Data Sheets	15
7.	Appendix B Tree Assessment Plans	16
8.	Appendix C Assessment Data Spreadsheet	17

#### 1. OVERVIEW

#### 1.1 Introduction

This tree assessment report has been prepared in response to a brief issued by Cardno Consulting, ACT. The purpose of this report is to provide detailed information on the location and status of trees within the site referred to as Block 1 Section 13 Watson. The information will aid in the development of the site by identifying and assessing trees that are Protected, and/or covered by the Tree Protection Act 2005. This report has been prepared in accordance with the mandatory requirements of ACT Tree Protection (Guidelines for Tree Management Plans) Determination 2010.

Assessment of the trees within the site was undertaken by Steve Thomas of B.M.S. Forestry and Jim Laity on 24 and 25 April 2018, based on a site survey by Scott D McNiven & Associates, provided by Cardno.

SPACELAB's brief was to provide a tree assessment report and drawings to Suburban Land Agency (SLA) standard criteria to guide future redevelopment of the site.

#### 1.2 Site Description

The assessment area, Block 1 Section 13 Watson, is pictured on the following page.

The site contains numerous identified trees which are a mix of native and exotic species. Historically, the site was selected for agricultural experiments until it was repurposed as a school site.

The surface was little disturbed from its original level and as such the soil profile remains largely in its original state. In earlier times the school oval and grounds would have been well watered and managed quite intensively by the Territory government. This better than average set of conditions is reflected in the growth of the trees both on site and in surrounding areas. The more recent changes in management are also seen in the decline of the more vulnerable species.



Figure 1.2 Assessment Area

#### 2. ASSESSMENT INVENTORY

The trees identified in this report have been assessed to the mandatory requirements of Tree Survey as described in ACTs Tree Protection (Guidelines for Tree Management Plans) Determination 2010.

Descriptions of the assessment criteria is provided below;

The Results of the assessment are provided in the appendices of this report.

#### 3. TREE ASSESSMENT METHODOLOGY

The following information for each assessed tree is presented in this report.

#### **Tree Number/Group:**

A unique reference number is assigned to each tree or group of trees and described in terms of GIS co-ordinates. Each tree/group of trees is numbered and referenced to the Plan and Report as applicable.

#### **Regulated Tree:**

Is the Tree considered to be a Regulated tree in accordance with the ACT Tree Protection Act, 2005. Or if on un-leased land does size the size of the tree mean it has the potential to be regulated.

Y - Yes

**N** - No

#### **Registered Tree:**

Is the Tree listed on the Provisional Tree Register or the Tree Register? Reference check to be undertaken by visiting

http://www.tccs.act.gov.au/city-living/trees/act\_tree\_register/provisionally\_registered\_trees

If registered, notate the unique reference number allocated by the Act Territory Government.

No registered trees are present in this study area.

#### **GENERAL TREE DATA**

**Assessment Date** 

Date field assessment undertaken

Assessor

Name of field assessor

#### Tree Location

GIS location, ACT grid coordinates, Stromlo Projection, Eastings and Northings of tree position are not presented in this report. Refer to the accompanying plans for tree locations.

Status: Rev A

#### **Species**

**Botanical and Common Name** 

Page 3 of 17

Identification of trees on site as follows:

Botanical Name	Common Name
Casuarina cunninghamiana	River oak
Crataegus 'Smithiana'	Red Mexican hawthorn
Crataegus laevigata	Hawthorn
Eucalyptus bicostata	Blue gum
Eucalyptus cinerea	Argyle Apple
Eucalyptus mannifera	White brittle gum
Eucalyptus nicholii	Willow-leaved peppermint
Eucalyptus polyanthemos	Red box
Fraxinus excelsior	English ash 'Aurea'
Fraxinus oxycarpa	Desert ash
Fraxinus oxycarpa 'Raywood'	Claret ash
Pinus patula	Mexican yellow pine
Pinus radiata	Radiata pine
Platanus acerifolia	London plane
Quercus bicolor	Swamp white oak
Quercus palustris	Pin oak
Quercus robur	English oak
Sophora japonica	Pagoda tree

#### Height

Height in metres

#### **Canopy Spread**

Canopy diameter in metres shown as the maximum crown width of the tree or group of trees

#### **Trunk Circumference**

- For Single Trunks circumference in millimetres, measured 1 metre above ground level
- For multiple trunks the cumulative total of each trunk in millimetres at 1 metre above ground level

#### **Number of Trunks**

For single trees: number of trunks at 1 metre above ground level;

For groups of trees: general average number of trunks.

#### Recommendation

Recommendation is based on the professional judgement by the **Arborist and/or Landscape Architect and/or Landscape Consultant** following evaluation of the overall components of the full assessment.

Page 4 of 17

**Retain/Manage** Retain and manage the tree

Or

Remove Remove the tree

#### ARBORICULTURAL CRITERIA DEFINITIONS

Each tree has been assessed with the following arboricultural criteria. The definitions of values presented on the assessment sheets is provided below:

#### **Canopy Density:**

Relative density of canopy foliage

- **3** Full canopy (80% to 100%)
- 2 Part canopy (20% to 80%)
- **1** Sparse canopy (<20%)

#### **Canopy Dead Wood:**

Amount of dead wood in the canopy as a % of the canopy:

- 3 0% to 20% dead wood
- 2 20% to 60% dead wood
- 1 60% to 100% dead wood

#### **Insect Attack:**

Evidence of insect attack:

- **3** None
- 2 Moderate
- 1 Significant

### Disease:

Evidence of disease present:

- **3** None
- 2 Moderate
- 1 Significant

#### **Epicormic Growth:**

Presence of epicormic growth:

- **3** None
- 2 Moderate
- 1 Significant

#### Mistletoe:

Presence of mistletoe in canopy:

- **3** None
- 2 Up to 5 clumps (moderate)
- 1 More than 5 clumps

#### Form:

Canopy balance and distribution - relative to the normal habit of the tree species:

- 4 Typical of species
- 3 Stunted
- 2 Unbalanced/lopsided canopy

SPACELAB STUDIO PTY LTD

5/97 Northbourne Avenue Turner ACT 2612

Tel: +61 2 6262 6363 Email: contact@spacelab.net.au

Status: Rev A

Job No: J18-00390 Issue Date: 02.05.2018 M:\Projects\2018\J18-00390-Watson Block 1 Section 13 Tree Assessment\2-Working File\Documents\Landscape\J18-00390 Watson Block 1 Section 13 Tree Assessment\_A.docx

1 - Trunk lean approximately 30 or more off vertical

#### Age:

Age category:

- 4 Juvenile
- 3 Semi- Mature Adolescent
- 2 Mature
- 1 Over-Mature Senescent limited life expectancy

#### **Tolerance to Disturbance:**

Tolerance to disturbance within the tree protection zone based on species characteristics and site conditions:

- 3 High, tree species generally tolerant of some site disturbance,
- 2 Medium, tree species that may tolerate limited site disturbance,
- **1** Low, tree species generally highly sensitive to site disturbance.

#### **Risk Potential:**

Risk potential/structural integrity associated with trunk and major branches. Comment on the risk in the context of future land use if known and/or recommend incompatible land uses.

#### 3 - Low risk potential

- good structural integrity with low risk potential
- may require minimal or no short term horticultural maintenance

#### 2 - Medium risk potential

- poor branch unions, narrow angle branch forks or multiple leaders etc
- risk can be mitigated and managed by tree surgery and horticulture maintenance techniques

### 1 - Significant risk potential

- decay within trunk or major branches and/or
- prevalence of hollows or decay and/or
- depressed sections of the trunk indicative of underlying health issue and/or
- storm damage or physical and/or
- risk cannot be mitigated by extensive tree surgery or horticultural techniques

#### Health/Condition:

Overall health and condition of the tree based on arboricultural assessment of crown and trunk of the tree:

4: Excellent 2: Fair **3:** Good 1: Poor

SPACELAB STUDIO PTY LTD

5/97 Northbourne Avenue Turner ACT 2612

Tel: +61 2 6262 6363 Email: contact@spacelab.net.au

Job No: J18-00390

Issue Date: 02.05.2018 Status: Rev A Page 6 of 17

#### TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT RATING DEFINITIONS

Each assessed tree has been provided with an aboricultural quality rating. The Arborcultural Assessment is the culmination of the assessment of Arborcultural Criteria best fitting the following statements (see also Arborcultural Criteria).

#### Ε **Exceptional** meets most or all of the following

- Mature specimen
- Well balanced grand and/or outstanding appearance and stature
- Little or no evidence of:
  - o insect or parasitic attack and/or disease
  - o epicormic growth and/or
  - o dead wood and/or
  - physical damage

#### High meets one of the following Н

- Mature Tree specimen
  - o Tree structure, appearance form and balance is considered typical
  - Little no evidence of insect/parasite attack, epicormic growth and/or dead wood
- Juvenile or adolescent specimen (or group of trees or regeneration) that does not meet the prescribed requirements of the Tree Protection Act which exhibits excellent form and health with potential to:
  - become a Regulated Tree; and
  - contribute positively to the landscape character / urban amenity of the place in the future

#### Medium Mature Tree specimen exhibiting some or all of the following M characteristics:

- Sparse or pale coloured foliage
- Epicormic growth and/or dead wood throughout the crown
- Evidence of some branch fall
- Less than desirable form

#### **Or** (meets this criteria)

- Juvenile or adolescent specimen (or group of trees or regeneration) that does not meet the prescribed requirements of the Tree Protection Act. This assessment may include tree(s) which exhibit some negative characteristics which, with cost effective maintenance and/or management these trees have the potential to become:
  - o a High Quality regulated tree; and
  - contribute positively to landscape character and / or urban amenity of the place in the future

Page 7 of 17

#### Poor Quality or Deteriorating Tree meets the following statement.

Tree assessed as:

- limited life expectancy (less than 5-10 years) and/or
- limited habitat value; and/or
- significant risk potential with regard to:

SPACELAB STUDIO PTY LTD

5/97 Northbourne Avenue Turner ACT 2612

Tel: +61 2 6262 6363 Email: contact@spacelab.net.au

Job No: J18-00390 Issue Date: 02.05.2018

Status: Rev A

- poor form, health and condition, significant die back or sparse canopy; and/or
- o physical damage, disease, decay, susceptible to large limb drop, included bark forks etc

Tel: +61 2 6262 6363 Email: contact@spacelab.net.au

Job No: J18-00390 Issue Date: 02.05.2018 Status: Rev A

 $M:\Projects\2018\J18-00390-Watson\ Block\ 1\ Section\ 13\ Tree\ Assessment\2-Working\ File\Documents\Landscape\J18-00390\ Watson\ Block\ 1\ Section\ 13\ Tree\ Assessment\2-Working\ File\Document\2-Working\ File\Document\2-Working\ File\Document\2-Working\ File\Document\2-Working\ File\Document\2-Working\ File\Document\2-Working\ File\Document\2-Working\ File\Document\2-Working\1-Wo$ Block 1 Section 13 Tree Assessment\_A.docx

#### **URBAN AMENITY CRITERIA DEFINITIONS**

Each tree has been assessed with the following Urban Amenity criteria. The definitions of values presented on the assessment sheets is provided below:

#### **Contribution to Existing Landscape Character:**

What level of contribution does the tree make to the existing landscape setting?

- 3 Significant
- 2 Moderate
- 1 None

#### **Potential Contribution to Future Landscape Character:**

If retained, what level of contribution does the tree(s) potentially have for future landscape settings?

- 3 Significant could provide significant landscape character
- 2 Moderate
- 1 None

#### Visual / Scenic:

Visual prominence and scenic quality of the tree when viewed from within and beyond the site based on its position in the landscape and its form, condition, spatial arrangement, health and size:

- 3 High Visually prominent landform and exposed to significant public viewing (either now and/or in the future)
- 2 Medium visually prominent location or existing exposure to public view
- 1 Low not exposed to existing public, scenic value important to future local urban development

#### **Unique species:**

Based on the rarity or commonness of the species in the region or growing at the extent or outside of its normal range and the abundance of the species within its geographic range:

- 2 Rare
- 1 Common

### **Habitat Quality:**

Based on the potential to retain or attract native fauna:

- 3 Provides significant habitat to native birds or arboreal animals either due to its abundance or ecological diversity or as a result of limited availability
- 2 Ability to retain or attract native wildlife including invertebrates
- 1 No habitat opportunity for native fauna or known to harbour exotic pests

#### **Habitat Value:**

Habitat value provided by tree e.g. considering nesting hollows, shelter, seed pods, nectar, roosts etc

High Value

- 4 Food source or nesting hollows for endangered species specialised
- 3 Locally occurring habitat non-specialised

Limited Value - Low

2 - No identifiable habitat - shelter only

SPACELAB STUDIO PTY LTD

5/97 Northbourne Avenue Turner ACT 2612

Tel: +61 2 6262 6363 Email: contact@spacelab.net.au

Job No: J18-00390

Issue Date: 02.05.2018 Status: Rev A

M:\Projects\2018\J18-00390-Watson Block 1 Section 13 Tree Assessment\2-Working File\Documents\Landscape\J18-00390 Watson Block 1 Section 13 Tree Assessment\_A.docx

#### 1 - Potential for harbouring pest species

#### **Cultural Value:**

Does the tree have cultural/heritage value? If so is it documented or how is it

2 – High - Yes – describe (anecdotal/referenced)

1 – Low - None known

#### **Social Value:**

Does the tree possess social context e.g. is there community connection to its planting or location? And if so is it documented / how is it known

2 - High - Yes - describe (anecdotal/referenced)

1 - Low - None known

#### Scientific Value:

Does the tree possess scientific interest? e.g. genetic, stunted growth, curious habit, habitat, climatic range. If so how is it documented, or how is it known.

2 – High - Yes – describe (reference)

1 - Low - None known

#### **Remnant Species:**

Is the tree a remnant species?

2 - Yes therefore contributes to natural biodiversity (Highly Valued in terms of local ecology and genetics)

1 – No - i.e. planted native species, self sown exotic, planted exotic

#### TREE ASSESSMENT - CONTRIBUTION TO URBAN AMENITY RATING DEFINITIONS

Each assessed tree has been provided with an Urban Amenity rating. The assessment of Urban Amenity<sup>1</sup> Assessment is the culmination of the Urban Amenity Criteria best fitting the following statements (refer also Urban Amenity Criteria).

#### Ε **Exceptional Urban Amenity**

A tree or well defined group of trees that meets at least two of the following:

- Significant Visual Prominence or Scenic Quality
- Unique Species i.e. not common place to the Region
- Significant habitat
- Known Cultural /Heritage Value referenced
- Known Social Value referenced
- Scientific Value referenced

(Note: as an example, a tree, may be considered "Exceptional" on the basis of scientific and known social value but be of poor form/condition and represent a significant hazard).

#### Н High

A tree or well defined group of trees which may or may not attain the status of being a Regulated Tree that exhibit the following:

good form, health and condition without significant defects; and

SPACELAB STUDIO PTY LTD

5/97 Northbourne Avenue Turner ACT 2612

Tel: +61 2 6262 6363 Email: contact@spacelab.net.au

Job No: J18-00390

Issue Date: 02.05.2018 Status: Rev A

M:\Projects\2018\J18-00390-Watson Block 1 Section 13 Tree Assessment\2-Working File\Documents\Landscape\J18-00390 Watson Block 1 Section 13 Tree Assessment\_A.docx

where retained and managed is unlikely to present an unreasonable financial impost or public risk

#### M Medium

A tree or well-defined group of trees that is considered to require expenditure with regard to its long-term management to attain a High value and is assessed to be of little (if any) habitat value.

#### L Low

A tree of poor form, structure or health with little, if any, habitat value i.e. the tree is considered in fundamental decline or likely to represent a significant hazard in an urban context

1 Urban amenity is considered the form, texture, arrangement and appearance of landscape elements (in this case trees and stands of vegetation) that contribute positively to the character of a place

### LANDSCAPE TREE GROUPS DEFINITIONS

The assessment of landscape trees that are clearly identifiable as dense uniform landscape groups to be assessed as groups for their potential contribution to future urban amenity. The groups are to be considered and assessed on the same bases as individual trees.

- 3 High A clearly identifiable group of trees that, when considered as a whole, meets at least two of the values for Exceptional Urban Amenity.
- 2 Medium A clearly identifiable group of landscape trees that include Regulated trees (under the Tree Protection Act, 2005) and as a group (rather than single specimens) is ranked as possessing High Quality Urban Amenity and High Arborcultural Attributes.
- 1 Low A loosely defined group of trees that may include trees that do not meet the requirements for assessment under the Tree Protection Act, 2005 and may possess potential to contribute to the future urban amenity.

#### TREE PROTECTION / MANAGEMENT FOR TREES TO BE RETAINED

Under the ACT Tree Protection Act (2005) a Protected Tree includes all Regulated Trees and those trees deemed Registered (i.e. a tree that has been included on the ACT Tree Register).

Tree Management Plans are required to accompany the Estate Development Plan for all Protected Trees. Schedule 1 of Notifiable Instrument N12010-586 outlines the guidelines for Tree Management Plans applicable to trees attaining the status of Protected Tree under the Tree Protection Act.

#### TREE MANAGEMENT ASSESSMENT

If the subject tree or group of trees are retained the assessor is to consider and agree as appropriate, on ranking the following:

#### **Potential to Reduce Risk:**

Are there arboricultural/horticultural works that can be carried out to reduce potential risks?

- 3 Significant works involving financial investment requiring commitment to long term remedial specialised techniques
- 2 Moderate works requiring commitment to regular horticultural/arboricultural treatment
- 1 None regular on-going management required long term but no obvious immediate management required

### Potential to improve amenity value:

Are there arboricultural/horticultural works that can be carried out to improve the potential amenity value of the tree?

- 3 Significant works commitment to regular ongoing horticultural/arboricultural maintenance required (pruning, shaping, spraying) etc to retain urban amenity
- 2 Moderate works commitment to immediate (but not onerous) maintenance to enhance amenity
- 1 None occasional, regular and expected horticultural works may be required not immediate

Status: Rev A

#### **RECOMMENDATIONS**

An inspection of the trees on the Watson site was carried out on the 24th and 26th April 2018. The inspection was conducted from the ground and complies with the required SLA-style (Suburban Land Agency) assessment criteria including photographs of each tree.

Historically the site was selected for agricultural experiments until it was repurposed as a school site. The surface was little disturbed from its original level and as such the soil profile remains largely in its original state. In earlier times the school oval and grounds would have been well watered and managed quite intensively by the Territory government.

This better than average set of conditions is reflected in the growth of the trees both on site and in surrounding areas. The more recent changes in management are also seen in the decline of the more vulnerable species.

The tree species include Eucalyptus mannifera, Casuarina cunninghamiana, Pinus radiata, Sophora japonica, Quercus robur, Q. palustris, Crataegus 'Smithiana', Fraxinus oxycarpa, Pinus patula, and very small numbers of other species.

The deep-rooted Q. robur which are growing on the perimeter of the site are a significant feature along with the Q. palustris. Trees 79, 98, 107, 108, and 111 are of exceptional quality along with the drought-tolerant P. patula number 150 and E. mannifera numbers 173 and 177 This unusually large number of highly rated trees reflect the historical conditions of the site referred to above.

The Fraxinus oxycarpa have not been able to respond to the dryer conditions and are in decline. In the carparks the species is stunted and unlikely to grow into shade trees in the foreseeable future.

The P. radiata are of only modest value and should be removed as they are now considered a weed species in the ACT. This would allow the C. cunninghamiana to increase the size of their canopies.

The close planting in the southern corner near Windeyer Street should be thinned to allow the better trees to thrive. Similarly, in the more northern section near Phillip Avenue the trees are too closely planted and consideration should be given to thinning.

The linear planting of C. 'Smithiana', very close to the boundary, represents a species which would not now be planted as the genus is considered too weedy.

NB All trees pose a certain amount of risk. They are living material subject to failure at any time due to weather and unforeseen circumstances. No guarantee can be given about any of the trees on the site. The only way to remove all risk is to remove all trees from the site. This report reflects what was observed on the date of the inspection.

**Steve Thomas** 28 April 2018

### 5. NOTES / DISCLAIMER

This report is to be utilised in its entirety only. Any written or verbal submission, report or presentation that includes statements taken from the findings, discussions, conclusions or recommendations made in this report, may only be used where the whole of the original report (or copy) is referenced in, and directly attached to that submission, report or presentation.

Information contained in this report covers only those trees, which were examined, and reflects the condition of those trees at the time of inspection. The inspection was limited to visual examination, without dissection, excavation, probing or coring. There is no warranty or guarantee or expressed or implied, that problems or deficiencies of the subject trees may not arise in the near future.

The findings of this report may not necessarily agree with reports prepared by others, including the Government Conservator of Trees.

Page 14 of 17

6. Appendix A Tree Assessment Data Sheets

### **APPENDIX A** TREE ASSESSMENT DATA SHEETS

Issue Date: 02.05.2018 Status: Rev A

M:\Projects\2018\J18-00390-Watson Block 1 Section 13 Tree Assessment\2-Working File\Documents\Landscape\J18-00390 Watson Block 1 Section 13 Tree Assessment\_A.docx



1.1		E 433E	:221A	ILIA	<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	1	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	ΜEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Р	
l	JRB.	AN AMENIT	/ ASSESS	MENT	L	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Remove	
Landscape Architect		SPACELAB		Remove		
GENERAL TRE	E D	ATA				
Assessment Dat	Assessment Date 24 April 2018					
Species	·					
Common Name		English ash	'Aurea'			
LOCATION						
E:			N:		T	
Height (M)	9.5	5	Canopy	(M)	9	
Trunk Circum	96	960 No of Tre		runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	1			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E ASSE	:001V	ILIA	<u> </u>			
SUMMARY	SUMMARY							
		TREE NU	MBER/G	ROUP	2			
		REC	GULATED	TREE	N			
		REC	SISTERED	TREE	N			
TREE ASSESSI	MEI	NT						
A	<b>ARB</b> (	ORCULTURAI	L ASSESS	MENT	Р			
ı	JRB.	AN AMENITY	/ ASSESS	MENT	L			
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE			
Arborist		JL, ST			Remove			
Landscape Architect		SPACELAB		•	Remove			
GENERAL TRE	E D	ATA						
Assessment Dat	e	24 April 20	18					
Species	·							
Common Name		English ash	'Aurea'					
LOCATION								
E:			N:					
Height (M)	9		Canopy	(M)	7			
Trunk Circum	12	00	No of T	runks	1			
TREE MANAGEMENT								
POTENTIAL TO REDUCE RISK 1								
POTENTIAL TO I	MPI	ROVE AMEN	ITY	1				
NOTES								

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	1			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	1			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	<u> </u>	E ASSE	:001V	$\square\square$	I			
SUMMARY	SUMMARY							
		TREE NU	MBER/G	ROUP	3			
		REC	GULATED	TREE	N			
		REC	SISTERED	TREE	N			
TREE ASSESSI	MEI	NT						
A	RBC	ORCULTURA	L ASSESS	MENT	Р			
l	JRB.	AN AMENITY	/ ASSESS	MENT	L			
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE			
Arborist		JL, ST			Remove			
Landscape Architect		SPACELAB			Kemove			
GENERAL TRE	E D	ATA						
Assessment Dat	:e	24 April 20	18					
Species	Fraxinus excelsior							
Common Name								
LOCATION								
E:			N:					
Height (M)	10		Canopy	(M)	9			
Trunk Circum	11	90	No of T	runks	1			
TREE MANAGEMENT								
POTENTIAL TO REDUCE RISK 1								
POTENTIAL TO I	MPI	ROVE AMEN	ITY	1				
NOTES								

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	1			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1		<u> </u>	:221V		l	
SUMMARY						
		TREE NU	MBER/G	ROUP	4	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	ASSESS	MENT	Р	
l	JRB	AN AMENITY	/ ASSESS	MENT	L	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Remove	
Landscape Architect		SPACELAB		Nemove		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Dat	:e	24 April 20	18			
Species						
Common Name		English ash	'Aurea'			
LOCATION						
E:			N:			
Height (M)	8.5	5	Canopy	(M)	8	
Trunk Circum	ım 950		No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	1			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	<u> </u>	E ASSE	<u> </u>	$ \Box $	I	
SUMMARY						
		TREE NU	MBER/G	ROUP	5	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Р	
l	JRB	AN AMENIT	/ ASSESS	MENT	L	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		Remove		
Landscape Architect		SPACELAB		. Kemove		
GENERAL TRE	E D	ATA				
Assessment Dat	Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa				
Common Name		Desert ash				
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M)	16	
Trunk Circum	19	00	No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u>.                                    </u>		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	6	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Р	
l	JRB.	AN AMENIT	/ ASSESS	MENT	L	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		ı	Remove	
Landscape Architect	•		SPACELAB			
GENERAL TRE	E D	ATA				
Assessment Dat	:e	24 April 20	18			
Species		Fraxinus oxycarpa				
Common Name		Desert ash				
LOCATION						
E:			N:			
Height (M)	11		Canopy (M)		11	
Trunk Circum	95	0	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1		<u> </u>	:221 <u>v</u>	$ \Box $		
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	7	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	DRCULTURAI	L ASSESS	MENT	N	1
ι	JRB	AN AMENITY	/ ASSESS	MENT	N	1
RECOMMENDATION	ON	NAM	E		ETAIN A AGE / R	AND EMOVE
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB		. Netaiii		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Dat	:e	24 April 20	18			
Species		Quercus robur				
Common Name		English oak				
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	20	
Trunk Circum	15	50	0 No of Trunks 1			
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	<u> </u>	E ASSE	:001V				
SUMMARY							
		TREE NU	MBER/G	ROUP		8	
		REC	GULATED	TREE	,	Υ	
		REC	SISTERED	TREE		N	
TREE ASSESSI	MEI	NT					
A	RBC	ORCULTURA	L ASSESS	MENT		M	
Ų	JRB.	AN AMENIT	/ ASSESS	MENT		M	
RECOMMENDATION	ON	NAM	E			IN AND REMOVE	
Arborist		JL, ST			R	Retain	
Landscape Architect		SPACELAB				Ctani	
GENERAL TRE	E D	ATA					
Assessment Dat	:e	24 April 20	18				
Species		Quercus robur					
Common Name		English oak					
LOCATION							
E:			N:				
Height (M)	13		Canopy	(M)		10	
Trunk Circum	10	50	No of T	runks		1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2							
POTENTIAL TO IMPROVE AMENITY 2							
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	F 422F	:221V	<u>IEIN</u>	l	
SUMMARY						
		TREE NU	MBER/G	ROUP	9	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB		Retain		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	14		Canopy	(M)	12	
Trunk Circum	15	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u>\</u>		. 3317		ı	
SUMMARY						
		TREE NU	MBER/G	ROUP	10	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Н	
ı	JRB.	AN AMENITY	/ ASSESS	MENT	H	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		_ Ketaiii		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name	ommon Name English oak					
LOCATION						
E:			N:			
Height (M)	9		Canopy	(M)	11	
Trunk Circum	80	0	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	11	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Δ	RBC	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		Ketaiii		
GENERAL TRE	E D	ATA				
Assessment Dat	Assessment Date 24 April 2018					
Species		Quercus robur				
Common Name		English oak				
LOCATION	LOCATION					
E:			N:			
Height (M)	15		Canopy	/ (M)	24	
Trunk Circum	12	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO I	POTENTIAL TO IMPROVE AMENITY 3					
NOTES						

ARBORICULTURAL CHARACTERISTICS				
RATING				
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	7	<u> </u>	:001V	<u>וםו</u>	V	l	
SUMMARY							
		TREE NU	MBER/G	ROUI	Р	12	
		REC	GULATED	TRE	E	Υ	
		REC	SISTERED	TRE	E	N	
TREE ASSESSI	MEI	NT					
ρ	RBO	ORCULTURA	L ASSESS	MEN	T	Н	
ι	JRB.	AN AMENITY	/ ASSESS	MEN.	Т	Н	
RECOMMENDATION	ON	NAM	E	1		TAIN AND GE / REMOVE	
Arborist		JL, ST				Retain	
Landscape Architect		SPACELAB		_ Ketaiii		recuiii	
GENERAL TRE	E D	ATA					
Assessment Dat	Assessment Date 24 April 2018						
Species		Quercus robur					
Common Name English oak							
LOCATION							
E:			N:				
Height (M)	15		Canopy (M)			24	
Trunk Circum	12	80	No of T	runks	s	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 3				3			
POTENTIAL TO IMPROVE AMENITY 3							
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>		<u> </u>	l	
SUMMARY	SUMMARY						
		TREE NU	MBER/G	RO	JP	13	
		REC	GULATED	TR	EE	Υ	
		REC	SISTERED	TR	EE	N	
TREE ASSESSI	MEI	NT					
A	RBC	ORCULTURA	L ASSESS	MEI	NT	Н	
ι	JRB	AN AMENITY	/ ASSESS	MEI	NT	Н	
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE	
Arborist		JL, ST	ST			Retain	
Landscape Architect		SPACELAB		- Netam			
GENERAL TREE DATA							
Assessment Dat	:e	e 24 April 2018					
Species		Quercus robur					
Common Name English oak							
LOCATION							
E:			N:				
Height (M)	13		Canopy (M)		)	24	
Trunk Circum	12	No of Trunks		1			
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 3				3			
POTENTIAL TO IMPROVE AMENITY 3					3		
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	E ASSE	<u> </u>		l	
SUMMARY						
		TREE NU	MBER/G	ROUP	14	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Н	
ı	JRB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect	- I SPACELAR I			netani		
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	15		Canopy (M)		19	
Trunk Circum	12	00 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	3		
Potential Contribution to Future Landscape	3		
Visual/ Scenic	3		
Unique Species	1		
Habitat Quality	1		
Habitat Value	1		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			



I KEE ASSESSIVIEN						l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	15
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEI	TV	Н
_	JRB.	AN AMENITY	/ ASSESS	MEI	TV	H
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				recuiii
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name		English oak				
LOCATION						
E:			N:			
Height (M)	14		Canopy (M)		)	24
Trunk Circum	16	50	No of Trunks		ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3					3	
POTENTIAL TO IMPROVE AMENITY 3					3	
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> ۲۲</u>	F 422F	<u>:551V</u>		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	16
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBC	ORCULTURA	L ASSESS	MEI	TV	Н
l	JRB.	AN AMENITY	/ ASSESS	MEI	TV	Н
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		- Netalli		
GENERAL TRE	E D	ATA				
Assessment Dat	ent Date 24 April 2018					
Species		Quercus palustris				
Common Name		Pin oak				
LOCATION						
E:			N:			
Height (M)	15		Canopy (M)		)	24
Trunk Circum	18	00	No of Trunks		ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3				3		
POTENTIAL TO IMPROVE AMENITY 3				3		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	3		
Potential Contribution to Future Landscape	3		
Visual/ Scenic	3		
Unique Species	1		
Habitat Quality	1		
Habitat Value	1		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			



	7	E ASSE	<u> </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	17
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESS	MEI	NT			
	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	Н
	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E	RETAIN AND MANAGE / REMOVE	
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netalli	
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	e	24 April 2018			
Species		Quercus palustris			
Common Name		Pin oak			
LOCATION					
E:	E: N:				
Height (M)	16		Canopy (M)		24
Trunk Circum	16	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS			
	RATING		
Canopy Density	3		
Canopy Dead Wood	3		
Insect Attack	3		
Disease	3		
Epicormic Growth	3		
Mistletoe	3		
Form	4		
Age	2		
Tolerance to Disturbance	2		
Risk Potential	2		
Health / Condition	3		


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>	$ \Box $	l
SUMMARY					
TREE NUMBER/GROUP				18	
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E	RETAIN AND MANAGE / REMOVE	
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netalli	
GENERAL TRE	E D	ATA			
Assessment Dat	:e	24 April 2018			
Species		Fraxinus excelsior			
Common Name		English ash 'Aurea'			
LOCATION					
E:			N:		
Height (M)	10		Canopy (M)		11
Trunk Circum	12	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	2		
Potential Contribution to Future Landscape	2		
Visual/ Scenic	2		
Unique Species	1		
Habitat Quality	1		
Habitat Value	1		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			



1.1	7	E 433E	:221 <u>v</u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	19
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netain	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Fraxinus excelsior			
Common Name English ash 'Aurea'					
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	12
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	E 433E	:001V	$ \Box $	l
SUMMARY					
		TREE NU	MBER/G	ROUP	20
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Δ	RBO	ORCULTURA	L ASSESS	MENT	Р
ι	JRB.	AN AMENITY	/ ASSESS	MENT	L
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB		nemove	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus excelsior			
Common Name English ash 'Aurea'					
LOCATION					
E:			N:		
Height (M)	7		Canopy	(M)	9
Trunk Circum	10	50	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	1			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ADDEDDINIEIN						
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	1	21
		REC	GULATED	TREE	١ ١	1
		REC	SISTERED	TREE	1	V
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT	•	М
ι	JRB.	AN AMENITY	<b>ASSESS</b>	MENT		М
RECOMMENDATION	ON	NAM	E			IN AND / REMOVE
Arborist		JL, ST		Retain		etain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E: N:						
Height (M)	14		Canopy	(M)	8	3
Trunk Circum	10	50	No of Trunks		1	l
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E ASSE	:001V		l
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	22
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
ı	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Ketaiii	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Casuarina cunninghamiana			Э		
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	14		Canopy	(M)	7
Trunk Circum	10	50	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	IKEE ASSESSIVIEIVI					
SUMMARY						
		TREE NU	MBER/G	ROUP	23	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT	M	
l	JRB	AN AMENIT	/ ASSESS	MENT	М	
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		_ Ketaiii		
GENERAL TRE	E D	ATA				
Assessment Dat						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E:	E: N:					
Height (M)	14		Canopy	(M)	8	
Trunk Circum	10	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		ı
SUMMARY					
		TREE NU	MBER/G	ROUP	24
		REG	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist	borist JL, ST Retain		Retain		
Landscape Architect		SPACELAB		Ketain	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species Casuarina cunninghamiana					
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	9		Canopy	(M)	6
Trunk Circum	75	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>		E 433E	:221A	ILIA	<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	25	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBO	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		Netum		
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name Pin oak						
LOCATION						
E:			N:		1	
Height (M)	11		Canopy	/ (M)	13	
Trunk Circum	10	00	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	7	E ASSE	<u> </u>		<u> </u>		
SUMMARY							
		TREE NU	MBER/G	ROUP	,	26	
		REC	GULATED	TREE		Υ	
		REC	SISTERED	TREE		N	
TREE ASSESS	MEI	NT					
	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	•	Н	
	JRB.	AN AMENITY	/ ASSESS	MENT	•	Н	
RECOMMENDATI	ON	NAM	E			AIN AND SE / REMOVE	
Arborist		JL, ST		Retain			
Landscape Architect		SPACELAB					
GENERAL TRE	GENERAL TREE DATA						
Assessment Date 24 April 2018							
Species	Quercus palustris						
Common Name Pin oak							
LOCATION							
E:			N:				
Height (M)	18	.5	Canopy	(M)		17	
Trunk Circum	20	20	No of T	runks		1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 3				ŀ			
POTENTIAL TO IMPROVE AMENITY 3							
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	<u> </u>	:001V	$ \Box $	<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	27	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
ρ	RBC	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		ETAIN A AGE / RE	
Arborist		JL, ST			Retai	in
Landscape Architect	SPACELAB					
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	16		Canopy	(M)	15	
Trunk Circum	14	90	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1 [	<u> </u>	E ASSE	:001V	<u> </u>	<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROU	ΙP	28
		REC	GULATED	TRE	E	Υ
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	ΙT	Н
l	JRB	AN AMENIT	/ ASSESS	MEN	ΙT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		, incluii		
GENERAL TRE	E D	ATA				
Assessment Dat	te 24 April 2018					
Species		Quercus palustris				
Common Name		Pin oak				
LOCATION						
E:			N:			
Height (M)	19		Canopy	(M)		29
Trunk Circum	15	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1		<u> </u>	:221A		<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	JP	29
		REC	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	L ASSESS	MEN	ΙT	Н
ι	JRB	AN AMENITY	/ ASSESS	MEN	IT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		, recuir		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name	lame Pin oak					
LOCATION	LOCATION					
E:			N:			
Height (M)	19		Canopy	(M)	)	15
Trunk Circum	16	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	30
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBC	ORCULTURA	L ASSESS	MEN	T	Н
ι	JRB.	AN AMENITY	/ ASSESS	MEN	NT	Н
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	19		Canopy	(M)	)	24
Trunk Circum	16	00	No of T	runl	<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3				3		
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	E 433E	:221 <u>v</u>	ILIA	l
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	31
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netaili	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus palustris			
Common Name Pin oak					
LOCATION					
E:			N:		
Height (M)	20		Canopy	(M)	16
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	7	E ASSE	<u> </u>	$ \Box $	l	
SUMMARY						
		TREE NU	MBER/G	ROUP	32	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESS	MEI	NT				
Į.	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB			netani	
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species Quercus palustris						
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	20		Canopy	(M)	15	
Trunk Circum	16	50 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	I KEE ASSESSIVIEIN					
SUMMARY						
		TREE NU	MBER/G	ROUP	33	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
P	RBO	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		ETAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species Quercus palustris						
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	20		Canopy	(M)	18	
Trunk Circum	13	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEIN					<u> </u>	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	JP	34
		REC	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	L ASSESS	MEN	JT	Н
l	JRB.	AN AMENITY	/ ASSESS	MEN	JT	Н
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species Quercus palustris						
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	19		Canopy	(M)	)	28
Trunk Circum	15	50	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3				3		
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	<u> </u>	:221V	$ \Box $		
SUMMARY						
		TREE NU	MBER/G	ROUP		35
		REC	GULATED	TREE		Υ
		REC	SISTERED	TREE		N
TREE ASSESSI	MEI	NT				
P	RBC	ORCULTURA	L ASSESS	MENT	•	Н
Ī	JRB.	AN AMENITY	/ ASSESS	MENT	•	Н
RECOMMENDATI	ON	NAM	E			AIN AND SE / REMOVE
Arborist		JL, ST			ı	Retain
Landscape Architect	• I SPACELAR I			.c.um		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name Pin oak						
LOCATION	LOCATION					
E:			N:			
Height (M)	16		Canopy	(M)		18
Trunk Circum	13	50	No of T	runks		1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1 [	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	36
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Р
l	JRB.	AN AMENIT	/ ASSESS	MENT	L
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove	
Landscape Architect		SPACELAB		- Kemove	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Platanus acerifolia			
Common Name London plane					
LOCATION					
E:			N:		
Height (M)	14		Canopy	/ (M)	9
Trunk Circum	14	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> 1∟</u>	E ASSE	<u> </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	37
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	\RB(	ORCULTURA	L ASSESS	MENT	Н
l	JRB	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. Retuin	
GENERAL TRE	E D	ATA			
Assessment Dat	Date 24 April 2018				
Species		Quercus palustris			
Common Name	ne Pin oak				
LOCATION					
E:			N:		
Height (M)	16		Canopy (M) 14		14
Trunk Circum	13	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	. <u>331v</u>		<u> </u>		
SUMMARY							
		TREE NU	MBER/G	ROU	JP	38	
		REC	GULATED	TRE	ΕE	Υ	
		REC	SISTERED	TRE	EE	N	
TREE ASSESSI	MEI	NT					
A	RBC	ORCULTURAI	L ASSESS	MEN	ΙT	Р	
ι	JRB	AN AMENITY	/ ASSESS	MEN	ΙT	L	
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect		SPACELAB	- nemov				
GENERAL TREE DATA							
Assessment Date 24 April 2018							
Species		Pinus radiata					
Common Name Radiata pine							
LOCATION							
E: N:							
Height (M)	18		Canopy (M) 15		15		
Trunk Circum	18	00	No of T	runk	(S	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2							
POTENTIAL TO IMPROVE AMENITY 2							
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	39
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netain	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species	Casuarina cunninghamiana			l	
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	13		Canopy	(M)	6
Trunk Circum	95	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					N	l	
SUMMARY	SUMMARY						
		TREE NU	MBER/G	ROUI	Р	40	
		REC	GULATED	TRE	E	Υ	
		REC	SISTERED	TRE	E	N	
TREE ASSESSI	MEI	NT					
Д	RBC	DRCULTURA	L ASSESS	MEN.	Т	Р	
ι	JRB	AN AMENIT	/ ASSESS	MEN.	T	L	
RECOMMENDATION	ON	NAM	E			TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect		SPACELAB					
GENERAL TRE	E D	ATA					
Assessment Date 24 April 2018							
Species Pinus radiata							
Common Name Radiata pine							
LOCATION	LOCATION						
E: N:							
Height (M)	14		Canopy	(M)		7	
Trunk Circum	10	90	No of T	runks	s	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2				2			
POTENTIAL TO IMPROVE AMENITY 2				2			
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	7	E ASSE	:001V	$ \Box $	l
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	41
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Casuarina cunninghamiana			a		
Common Name River oak					
LOCATION	LOCATION				
E:			N:		
Height (M)	13		Canopy	(M)	15
Trunk Circum	14	50	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	42
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netain	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Casuarina cunninghamiana					
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	16		Canopy	(M)	9
Trunk Circum	13	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	\ C	F 422F	:2211	ロロリ		
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	,	43
		REC	GULATED	TREE		Υ
		REC	SISTERED	TREE		N
TREE ASSESSI	MEI	NT				
Д	RBC	DRCULTURAI	L ASSESS	MENT		Р
ι	JRB	AN AMENITY	/ ASSESS	MENT	•	L
RECOMMENDATION	ON	NAM	E			AIN AND SE / REMOVE
Arborist		JL, ST	R		Remove	
Landscape SPACELAB						
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name						
LOCATION						
E: N:						
Height (M)	20		Canopy	(M)		16
Trunk Circum	14	50	No of T	runks		1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>	<u> </u>	I A	<u> </u>
SUMMARY	SUMMARY					
		TREE NU	MBER/G	RO	UP	44
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBC	DRCULTURAI	L ASSESS	ΜE	NT	М
ι	JRB	AN AMENITY	/ ASSESS	ME	NT	M
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	GENERAL TREE DATA					
Assessment Dat	:e	24 April 2018				
Species		Casuarina cunninghamiana				
Common Name						
LOCATION						
E:			N:			
Height (M)	20		Canopy	(M	1)	17
Trunk Circum	12	20	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u>. 331V</u>		V	l
SUMMARY						
		TREE NU	MBER/G	ROU	Р	45
		REC	GULATED	TRE	Ε	Υ
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	Т	Р
ι	JRB	AN AMENITY	/ ASSESS	MEN	Т	L
RECOMMENDATION	ON	NAM	E			TAIN AND GE / REMOVE
Arborist		JL, ST		Remove		
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name Radiata pine						
LOCATION						
E: N:						
Height (M)	20		Canopy	(M)		15
Trunk Circum	20	90	No of T	runk	s	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	<u> </u>	E 433E	:221A	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	46
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBO	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TREE DATA					
Assessment Dat	r				
Species		Casuarina cunninghamiana			
Common Name		River oak			
LOCATION					
E:			N:		
Height (M)	14		Canopy	′ (M)	8
Trunk Circum	70	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<b>\</b> L	F 422F	:221A		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROU	IP	47
		REC	GULATED	TRE	Έ	Υ
		REC	SISTERED	TRE	Έ	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	IT	М
ι	JRB	AN AMENIT	/ ASSESS	MEN	IT	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species	Casuarina cunninghamiana					
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	14		Canopy	(M)		15
Trunk Circum	10	20	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	<u> </u>	:001V		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	48
		REC	GULATED	TRI	EE	N
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	L ASSESS	MEN	TI	Р
l	JRB.	AN AMENITY	ASSESS	MEN	ΝT	L
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Crataegus laevigata.				
Common Name Hawthorn						
LOCATION						
E:			N:			
Height (M)	7		Canopy	ppy (M) 8		8
Trunk Circum	65	0	No of Trunks		<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1				1		
POTENTIAL TO IMPROVE AMENITY 1					1	
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
<b>Epicormic Growth</b>	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1 [	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	49
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
J	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. Retuin	
GENERAL TREE DATA					
Assessment Date 24 April 2018					
Species		Quercus palustris			
Common Name					
LOCATION					
E:			N:		
Height (M)	16		Canopy	/ (M)	16
Trunk Circum	14	00	No of Trunks 1		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	.5517		I V	<u> </u>
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	50
		REC	GULATED	TR	EE	N
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	ASSESS	MEI	ΤV	Р
J	JRB	AN AMENITY	ASSESS	MEI	TV	L
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			Remove	
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Crataegus laevigata.				
Common Name	Common Name Hawthorn					
LOCATION						
E: N:						
Height (M)	6		Canopy (M) 9		9	
Trunk Circum	72	0	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



INLL ASSESSIVILIVI						
SUMMARY						
		TREE NU	MBER/G	ROL	JP	51
		REC	GULATED	TR	EE	N
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	ASSESS	MEN	TV	Р
ι	JRB	AN AMENITY	/ ASSESS	MEN	TV	L
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Remove		
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Dat	Assessment Date 24 April 2018					
Species		Crataegus laevigata.				
Common Name	mmon Name Hawthorn					
LOCATION						
E:			N:			
Height (M)	6		Canopy	(M)	)	8
Trunk Circum	72	0	No of Trunks		ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ADDEDDINIEIN							
SUMMARY	SUMMARY						
		TREE NU	MBER/G	RO	UP	52	
		REC	GULATED	TR	EE	N	
		REC	SISTERED	TR	EE	N	
TREE ASSESSI	MEI	NT					
A	RBC	ORCULTURAI	L ASSESS	ME	NT	Р	
l	JRB.	AN AMENITY	/ ASSESS	ME	NT	L	
RECOMMENDATI	ON	NAM	E	М		TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect		SPACELAB					
GENERAL TRE	E D	ATA					
Assessment Date 24 April 2018							
Species Crataegus laevigata.							
Common Name Hawthorn							
LOCATION							
E: N:							
Height (M)	6		Canopy	(M	1)	7	
Trunk Circum	65	0	No of T	run	ks	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 1					1		
POTENTIAL TO IMPROVE AMENITY 1					1		
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	:001V		<u> </u>	l
SUMMARY						
		TREE NU	MBER/G	ROU	JP	53
		REC	GULATED	TRE	E	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	ΙT	Р
l	JRB.	AN AMENITY	/ ASSESS	MEN	JT	L
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST	Remo			Remove
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus bicostata				
Common Name Blue gum						
LOCATION						
E:			N:			
Height (M)	19		Canopy (M)		18	
Trunk Circum	23	00	No of Trunks		(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						
Fungal fruiting body, rot in crutch						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	1				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	1				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	<u> </u>	.331V		1	l
SUMMARY						
		TREE NU	MBER/G	ROUF	,	54
		REG	GULATED	TREE	:	Υ
		REC	SISTERED	TREE	Ξ.	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Г	М
l	JRB	AN AMENIT	/ ASSESS	MENT	Γ	M
RECOMMENDATION	ON	NAM	E			TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus polyanthemos				
Common Name Red box						
LOCATION						
E:			N:			
Height (M)	20		Canopy	(M)		14
Trunk Circum	15	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	55
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	M
ι	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			netum
GENERAL TRE	GENERAL TREE DATA				
Assessment Date		24 April 20	18		
Species Eucalyptus			bicostat	a	
Common Name		Blue gum	Blue gum		
LOCATION					
E:			N:		
Height (M)	16		Canopy	⁄ (M)	16
Trunk Circum	98	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	<u> </u>	E ASSE	:001V	$ \Box $	l
SUMMARY					
		TREE NU	MBER/G	ROUP	56
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURAI	L ASSESS	MENT	M
l	JRB	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netani	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018			18		
Species		Eucalyptus bicostata			
Common Name Blue gum					
LOCATION					
E:			N:		
Height (M)	15		Canopy	(M)	14
Trunk Circum	75	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	-5514		1
SUMMARY					
		TREE NU	MBER/G	ROUP	57
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Retuin	
GENERAL TRE	E D	ATA			
Assessment Date		24 April 2018			
Species Eucalyptus			bicostat	a	
Common Name		Blue gum			
LOCATION					
E:			N:		
Height (M)	19		Canopy	(M)	14
Trunk Circum	950		No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	۲Ľ	F 422F	:221 <u>V</u>	IFIN	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	58
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		, including	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 20			18		
Species	Eucalyptus bicostata				
Common Name Blue gum					
LOCATION					
E:			N:		
Height (M)	19		Canopy	(M)	21
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	<u> </u>	:221 <u>v</u>		<u> </u>		
SUMMARY							
		TREE NU	MBER/G	ROL	JP	59	
		REC	GULATED	TRI	EE	N	
		REC	SISTERED	TRI	EE	N	
TREE ASSESSI	MEI	NT					
Α	RBC	ORCULTURAI	L ASSESS	MEN	T	Р	
l	JRB	AN AMENITY	/ ASSESS	MEN	T	L	
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect		SPACELAB					
GENERAL TRE	E D	ATA					
Assessment Date 24 April 2018							
Species		Crataegus laevigata.					
Common Name Hawthorn							
LOCATION							
E:	E: N:						
Height (M)	5		Canopy	(M)	)	5	
Trunk Circum	54	0	No of T	runk	<b>(S</b>	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 1				1			
POTENTIAL TO IMPROVE AMENITY 1				1			
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	<u> </u>	E ASSE	:001V	$ \Box $	l
SUMMARY					
		TREE NU	MBER/G	ROUP	60
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Р
l	JRB	AN AMENIT	/ ASSESS	MENT	L
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB		Nemove	
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	Assessment Date 24 April 2018				
Species		Quercus palustris			
Common Name Pin oak					
LOCATION					
E:			N:		_
Height (M)	8		Canopy	(M)	10
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	1			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>		E 433E	:221 <u>v</u>	ILIA	<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	61
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	Р
ι	JRB.	AN AMENIT	/ ASSESS	MENT	L
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB		Themove	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Eucalyptus bicostata			
Common Name					
LOCATION					
E:			N:		
Height (M)	19		Canopy	/ (M)	16
Trunk Circum	21	00	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	1			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	E 433E	:221A	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	62
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		. Retuil	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Eucalyptus bicostata			
Common Name Blue gum					
LOCATION					
E:			N:		
Height (M)	17		Canopy	(M)	10
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u>\</u>	<u> </u>	:221 <u>v</u>		<u> </u>	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	Р	63
		REC	GULATED	TRE	Ε	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
А	RBC	ORCULTURA	L ASSESS	MEN	T	Р
ι	JRB.	AN AMENIT	/ ASSESS	MEN	T	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove		Remove
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus meliodoa				
Common Name						
LOCATION						
E:			N:			
Height (M)	18		Canopy	(M)		12
Trunk Circum	15	20	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Liable to split at 2.5m						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					I V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	64
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Δ	RBC	ORCULTURA	L ASSESS	MEI	TV	Н
_	JRB.	AN AMENITY	/ ASSESS	MEI	TV	H
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Potain		Retain
Landscape Architect		SPACELAB		- Netaiii		Retuin
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus pa	lustris			
Common Name		Pin oak				
LOCATION						
E:			N:			
Height (M)	17		Canopy	(M	)	21
Trunk Circum	13	80	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3				3		
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I VEE HOOEDOINIEN I						
SUMMARY						
		TREE NU	MBER/G	ROU	,	65
		REC	GULATED	TRE	Е	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	Γ	Н
_	JRB.	AN AMENITY	/ ASSESS	MEN	Γ	H
RECOMMENDATION	ON	NAM	E	_		TAIN AND GE / REMOVE
Arborist		JL, ST		Potain		Retain
Landscape Architect	· I SPACELAR I			recuiii		
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	20		Canopy	(M)		28
Trunk Circum	18	00	No of T	runks	;	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3					3	
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



TREE ASSESSIVIENT						
SUMMARY						
		TREE NU	MBER/G	ROUP	66	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT	Н	
l	JRB	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		. Ketaiii		
GENERAL TRE	GENERAL TREE DATA					
Assessment Dat	e					
Species		Quercus pa	lustris			
Common Name		Pin oak				
LOCATION						
E:	E: N:					
Height (M)	19		Canopy	(M)	23	
Trunk Circum	15	10	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	67
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Tretain.	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Fraxinus oxycarpa					
Common Name Desert ash					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	20
Trunk Circum	15	10	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					
SUMMARY					
		TREE NU	MBER/G	ROUP	68
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	essment Date 24 April 2018				
Species		Sophora japonica			
Common Name					
LOCATION					
E:			N:		1
Height (M)	12		Canopy	(M)	21
Trunk Circum	12	80	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	7	E ASSE	<u> </u>	$ \Box $	l
SUMMARY					
		TREE NU	MBER/G	ROUP	69
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESS	MEI	NT			
Į.	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
<b>Species</b> Quercus			alustris		
Common Name	Pin oak				
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	16
Trunk Circum	96	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	I VEE ASSESSIVIEIVI				
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	70
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	\RB(	ORCULTURA	L ASSESS	MENT	Н
l	JRB	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netam	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Sophora japonica			
Common Name Pagoda tree					
LOCATION					
E:			N:		
Height (M)	14		Canopy	(M)	18
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1		<u> </u>	:221 <u>v</u>	$ \Box $	1	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	71	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	DRCULTURAI	L ASSESS	MENT	Н	
ι	JRB	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		ETAIN A AGE / R	
Arborist		JL, ST		Retain		in
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Sophora japonica				
Common Name	1011111					
LOCATION						
E:			N:			
Height (M)	15		Canopy (M) 16			
Trunk Circum	20	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		ı
SUMMARY					
		TREE NU	MBER/G	ROUP	72
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netum	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa			
Common Name Desert ash					
LOCATION					
E:			N:		
Height (M)	14		Canopy	(M)	22
Trunk Circum	20	00	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	73
		REG	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Р
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			netall!
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa			
Common Name Desert ash					
LOCATION					
E:			N:		
Height (M)	9		Canopy	′ (M)	20
Trunk Circum	12	80	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	E 422E	:221 <u>V</u>		<u> </u>	l
SUMMARY						
		TREE NU	MBER/G	RO	JP	74
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBO	ORCULTURA	L ASSESS	MEI	TV	Н
l	JRB.	AN AMENITY	/ ASSESS	MEI	TV	Н
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect	· I SPACELAR I			Retuin		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus palustris				
Common Name Pin oak						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M	)	20
Trunk Circum	12	40	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3				3		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	1	L AJJL	<u> </u>	ILIV	ı
SUMMARY					
		TREE NU	MBER/G	ROUP	75
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESS	ΜE	NT			
A	ARBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRI	E C	ATA			
Assessment Date 24 April 2018					
Species	ecies Fraxinus oxycarpa				
Common Name Desert ash					
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	22
Trunk Circum	14	20	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>		E 433E	:221 <u>v</u>	$ \Box $	l
SUMMARY					
		TREE NU	MBER/G	ROUP	76
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netaili	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa 'Raywood'			
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	8		Canopy	(M)	13
Trunk Circum	60	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	2			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>	$ \Gamma $	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	77
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	М
ı	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB	3		netani
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa 'Raywood'			
Common Name Claret ash					
LOCATION					
E:			N:		_
Height (M)	8		Canopy	(M)	12
Trunk Circum	10	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	2			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	I KEE ASSESSIVIEIVI					
SUMMARY						
		TREE NU	MBER/G	ROU	JP	78
		REC	GULATED	TRE	EE	N
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	ΙT	M
l	JRB	AN AMENIT	/ ASSESS	MEN	ΙT	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect	SPACELAR					
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species	Sophora japonica					
Common Name Pagoda tree						
LOCATION						
E:	E: N:					
Height (M)	5		Canopy	(M)	)	6
Trunk Circum	55	0 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1				1		
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	2			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1 [	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	79
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Δ	RBO	ORCULTURA	L ASSESS	MENT	E
l	JRB.	AN AMENITY	/ ASSESS	MENT	E
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netani	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name					
LOCATION					
E:			N:		
Height (M)	10		Canopy	/ (M)	28
Trunk Circum	24	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	2			
Health / Condition	4			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



<u> </u>	7	E 433E	:221 <u>v</u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	80
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	Н
ι	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		_ Netalli	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus palustris			
Common Name Pin oak					
LOCATION					
E:			N:		
Height (M)	11		Canopy	′ (M)	18
Trunk Circum	12	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E ASSE	<u> </u>		l	
SUMMARY						
		TREE NU	MBER/G	ROUP	81	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESS	MEI	NT				
,	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	P	
	JRB.	AN AMENITY	/ ASSESS	MENT	L	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist	JL, ST		Remove			
Landscape Architect		SPACELAB		·		
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species Quercus robur						
Common Name English oak						
LOCATION						
E:	E: N:					
Height (M)	9		Canopy	(M)	13	
Trunk Circum	97	0	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	1			
Canopy Dead Wood	1			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	82	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
ρ	RBO	ORCULTURA	L ASSESS	MENT	М	
J	JRB.	AN AMENITY	/ ASSESS	MENT	М	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB			recuiii	
GENERAL TRE	E D	ATA				
Assessment Dat	24 April 20	18				
Species Quercus robur						
Common Name E		English oak	English oak			
LOCATION						
E:			N:			
Height (M)	11		Canopy	′ (M)	18	
Trunk Circum	12	1220 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					l
SUMMARY					
	TREE NU	MBER/G	ROL	JP	83
	REC	GULATED	TR	EE	Υ
	REC	SISTERED	TR	EE	N
MEI	NT				
RBC	ORCULTURAI	L ASSESS	MEI	TV	М
JRB.	AN AMENITY	/ ASSESS	MEI	TV	М
ON	NAM	E	MA		TAIN AND GE / REMOVE
	JL, ST				Retain
Landscape SPACELAB			Retain		
E D	ATA				
Assessment Date 24 April 2018					
Quercus robur					
Common Name English oak					
LOCATION					
		N:			
11		Canopy	(M	)	16
12	40 No of Trunks		ks	1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3				3	
MPI	ROVE AMEN	111			
MPI	ROVE AMEN	111			
MPI	ROVE AMEN	111			
	MEI ARBO	TREE NU REC REC WENT ARBORCULTURAL JRBAN AMENITY ON NAM JL, ST SPACELAB EE DATA Lee 24 April 20 Quercus ro English oak  11 1240 GEMENT	TREE NUMBER/G  REGULATED REGISTERED  MENT  ARBORCULTURAL ASSESS JRBAN AMENITY ASSESS ON NAME  JL, ST  SPACELAB  EE DATA  LE 24 April 2018 Quercus robur English oak  N: 11 Canopy  1240 No of T  EEMENT	TREE NUMBER/GROUNE REGULATED TRESISTERED T	TREE NUMBER/GROUP  REGULATED TREE  REGISTERED TREE  MENT  ARBORCULTURAL ASSESSMENT  JRBAN AMENITY ASSESSMENT  ON NAME RET MANAGE  JL, ST  SPACELAB  EE DATA  REE 24 April 2018  Quercus robur English oak  N:  11 Canopy (M)  1240 No of Trunks  EEMENT

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	1			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



IIVEL ASSESSIVILIVI					
SUMMARY					
		TREE NU	MBER/G	ROUP	84
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBO	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect	· I SPACELAR I				
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	11		Canopy	(M)	18
Trunk Circum	12	20	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO I	MPI	ROVE AMEN	ITY	3	
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	1			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE HOOEOOIMEIN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	85
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBO	ORCULTURA	L ASSESS	MENT	Н
ι	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		. Retain	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Quercus palustris			
Common Name	e Pin oak				
LOCATION					
E:			N:		T
Height (M)	15		Canopy	⁄ (M)	22
Trunk Circum	17	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO I	POTENTIAL TO IMPROVE AMENITY 3				
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE HOOEOOIMEN I					I
SUMMARY					
		TREE NU	MBER/G	ROUP	86
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
ı	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		netani	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus palustris			
Common Name Pin oak					
LOCATION					
E:			N:		
Height (M)	18		Canopy	(M)	20
Trunk Circum	11	90	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



INLL ASSESSIVILIVI						
SUMMARY	SUMMARY					
	TREE NUMBER/GROUP 87					87
		REC	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	ΙT	М
ι	JRB	AN AMENITY	/ ASSESS	MEN	IT	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Dat	te 24 April 2018					
Species		Crataegus 'Smithiana'				
Common Name						
LOCATION						
E: N:						
Height (M)	8		Canopy (M) 16		16	
Trunk Circum	20	00	No of Trunks		(S	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



INLL ASSESSIVILIVI						
SUMMARY						
	TREE NUMBER/GROUP 88					88
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	TV	М
ι	JRB	AN AMENITY	/ ASSESS	MEN	T	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Dat	e 24 April 2018					
Species		Crataegus 'Smithiana'				
Common Name						
LOCATION						
E: N:						
Height (M)	8		Canopy (M) 14		14	
Trunk Circum	22	00	No of Trunks		ks	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ADDEDDINIEIN					<i>N</i>	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	89
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBO	ORCULTURA	L ASSESS	MEN	TI	М
ι	JRB.	AN AMENITY	<b>ASSESS</b>	MEN	JT	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect	-   \DA( FI AB			Netuni		
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Crataegus 'Smithiana'				
Common Name						
LOCATION						
E:	E: N:					
Height (M)	7		Canopy (M) 12		12	
Trunk Circum	15	00	No of Trunks		(S	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	. 3310	<u> </u>	N	l
SUMMARY						
	TREE NUMBER/GROUP 90					90
		REC	GULATED	TRE	EE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	١T	М
l	JRB.	AN AMENIT	/ ASSESS	MEN	ΙT	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Dat	24 April 2018					
Species		Crataegus 'Smithiana'				
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	7		Canopy	(M)	)	14
Trunk Circum	12	00	No of Trunks		(S	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE HOOEDDINIEIN					I
SUMMARY					
		TREE NU	MBER/G	ROUP	91
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	M
ι	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect	SPACELAB		netani		
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	16
Trunk Circum	10	60	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 3					
POTENTIAL TO IMPROVE AMENITY 3					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	<u>E ASSE</u>	<u>:551V</u>	<u>IEIN</u>	l	
SUMMARY						
		TREE NU	MBER/G	ROUP	92	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT	М	
ι	JRB	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		Retail		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus cinerea				
Common Name Argyle apple						
LOCATION						
E:			N:		1	
Height (M)	15		Canopy	(M)	19	
Trunk Circum	20	10	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I VEE ASSESSIVIEIVI						
SUMMARY						
		TREE NU	MBER/G	ROL	JP	93
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEI	VΤ	М
Į	JRB	AN AMENIT	/ ASSESS	MEI	TV	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		Netuni		
GENERAL TRE	E D	ATA				
Assessment Dat	р					
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	15		Canopy	(M	)	22
Trunk Circum	17	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	2				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11		F 422F	:2211		V	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	94
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	ΤV	М
ι	JRB.	AN AMENITY	/ ASSESS	MEN	T	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		Retuin		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Crataegus 'Smithiana'				
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	8		Canopy	(M)	)	14
Trunk Circum	20	50	No of T	runl	ks	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1					1	
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	<u> </u>	:001V	<u>  [                                   </u>	N	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	95
		REC	GULATED	TRI	EE	N
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	TV	М
l	JRB	AN AMENITY	/ ASSESS	MEN	TI	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Crataegus 'Smithiana'				
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	7		Canopy	Canopy (M) 8		8
Trunk Circum	11	50	No of T	runl	ks	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1		<u> </u>	:221V		N I		
SUMMARY							
		TREE NU	MBER/G	ROU	JP	96	
		REC	GULATED	TRE	EE	Υ	
		REC	SISTERED	TRE	EE	N	
TREE ASSESSI	MEI	NT					
Α	RBC	ORCULTURAI	L ASSESS	MEN	TI	М	
ι	JRB	AN AMENITY	/ ASSESS	MEN	T	М	
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE	
Arborist		JL, ST				Retain	
Landscape Architect			В				
GENERAL TREE DATA							
Assessment Date 24 April 2018							
Species		Crataegus 'Smithiana'					
Common Name Red Mexican hawthorn							
LOCATION	LOCATION						
E: N:							
Height (M)	7		Canopy	opy (M) 14		14	
Trunk Circum	22	00	No of T	runk	<b>KS</b>	Multi	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 1					1		
POTENTIAL TO IMPROVE AMENITY 1							
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
<b>Epicormic Growth</b>	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	E ASSE	.3317		I V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROI	JP	97
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Δ	RBC	ORCULTURA	ASSESS	ME	NT	М
ι	JRB.	AN AMENIT	/ ASSESS	MEI	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		
Landscape Architect	- I SPACELAR I					
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species	3					
Common Name Red Mexican hawthorn						
LOCATION						
E: N:						
Height (M)	7		Canopy (M) 12		12	
Trunk Circum	20	00	No of T	run	ks	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



- 11	<u> </u>	L AJJL	<u> </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	98
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESS	MEI	NT			
,	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	Н
	JRB.	AN AMENIT	/ ASSESS	MENT	E
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRI	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	13		Canopy	(M)	19
Trunk Circum	12	20	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	1				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	<u> </u>	:221 <u>v</u>		<u> </u>		
SUMMARY							
		TREE NU	MBER/G	ROU	Р	99	
		REC	GULATED	TRE	Έ	Υ	
		REC	SISTERED	TRE	Ε	N	
TREE ASSESSI	MEI	NT					
Δ	RBC	DRCULTURAI	L ASSESS	MEN	IT	М	
ι	JRB.	AN AMENITY	/ ASSESS	MEN	IT	М	
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE	
Arborist		JL, ST			Retain		
Landscape Architect		SPACELAB					
GENERAL TRE	E D	ATA					
Assessment Date 24 April 2018							
Species		Crataegus 'Smithiana'					
Common Name Red Mexican hawthorn							
LOCATION							
E:			N:				
Height (M)	7		Canopy	(M)		12	
Trunk Circum	13	00	No of T	runk	S	Multi	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 1					1		
POTENTIAL TO IMPROVE AMENITY 1							
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	<u> </u>	<u> </u>	:221V		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	100
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	TI	М
ι	JRB	AN AMENITY	/ ASSESS	MEN	T	М
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Crataegus 'Smithiana'				
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	7		Canopy	Canopy (M) 12		12
Trunk Circum	14	50	No of T	runk	<b>KS</b>	Multi
TREE MANAG	TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	Р	101
		REC	GULATED	TRE	Ε	N
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Q	RBC	ORCULTURAI	ASSESS	MEN	IT	М
ι	JRB	AN AMENITY	ASSESS	MEN	IT	M
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB			neum	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species	Crataegus 'Smithiana'					
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	6		Canopy (M) 9		9	
Trunk Circum	11	00	No of T	runk	S	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1					1	
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



- 11	<u>'</u>		. 551 8		A	
SUMMARY						
TREE NUMBER/GROUP					JP	102
		REC	GULATED	TRE	EE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	ASSESS	MEN	ΙT	M
ι	JRB.	AN AMENITY	/ ASSESS	MEN	JT	M
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Dat	sessment Date 24 April 2018					
Species		Crataegus 'Smithiana'				
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	7		Canopy	(M)	)	10
Trunk Circum	17	00	No of T	runk	(S	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	E ASSE	<u>. 331V</u>		I V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	RO	JP	103
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBO	ORCULTURAI	L ASSESS	MEI	TV	M
ι	JRB.	AN AMENITY	/ ASSESS	MEI	TV	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect	· I SPACELAR					
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Crataegus 'Smithiana'				
Common Name Red Mexican hawthorn						
LOCATION						
E:			N:			
Height (M)	7		Canopy	(M	)	13
Trunk Circum	20	00	No of T	run	ks	Multi
TREE MANAG	TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	:001V		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROU	Р	104
		REC	GULATED	TRE	Έ	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	IT	М
ι	JRB.	AN AMENITY	/ ASSESS	MEN	IT	M
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		Recum		
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species	Crataegus 'Smithiana'					
Common Name Red Mexican hawthorn						
LOCATION	LOCATION					
E:	E: N:					
Height (M)	7		Canopy	(M)		14
Trunk Circum	12	00	No of T	runk	S	Multi
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E 433E	:001V		<u> </u>		
SUMMARY							
		TREE NU	MBER/G	RO	UP	105	
		REC	GULATED	TR	EE	Υ	
		REC	SISTERED	TR	EE	N	
TREE ASSESSI	MEI	NT					
A	<b>ARB</b> (	ORCULTURA	L ASSESS	ME	NT	М	
l	JRB.	AN AMENITY	/ ASSESS	ME	NT	М	
RECOMMENDATI	ON	NAM	E	М		TAIN AND GE / REMOVE	
Arborist		JL, ST				Retain	
Landscape Architect		SPACELAB					
GENERAL TREE DATA							
Assessment Date 24 April 2018							
Species Crataegus 'Smithiana'							
Common Name Red Mexican hawthorn							
LOCATION							
E: N:							
Height (M)	7		Canopy	(M	1)	16	
Trunk Circum	21	00	No of Trunks		ks	Multi	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 1					1		
POTENTIAL TO IMPROVE AMENITY 1					1		
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		ı	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	106	
		RE	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	М	
l	JRB.	AN AMENIT	/ ASSESS	MENT	М	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB		- Netalli		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	10		Canopy	′ (M)	10	
Trunk Circum	86	0	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	3				
Tolerance to Disturbance	2				
Risk Potential	3				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	E ASSE	:001V	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	107
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENITY	/ ASSESS	MENT	E
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		_ Netalli	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	14		Canopy	(M)	24
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	108
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	E
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netain	
GENERAL TREE DATA					
Assessment Dat	Į.				
Species		Quercus ro	bur		
Common Name					
LOCATION					
E:	E: N:				
Height (M)	14		Canopy	′ (M)	30
Trunk Circum	22	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	I VEE HOOESOIVIEIVI					
SUMMARY						
		TREE NU	MBER/G	ROU	Р	109
		REC	GULATED	TRE	Ε	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Δ	RBC	ORCULTURA	L ASSESS	MEN	Т	М
U	JRB.	AN AMENITY	/ ASSESS	MEN	Τ	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)		14
Trunk Circum	10	50	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	<u> </u>	<u> </u>	:001V	<u>  [                                   </u>	<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	110
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	TI	Н
ι	JRB	AN AMENITY	/ ASSESS	MEN	TI	Н
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		inctum		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Dat	ent Date 24 April 2018					
Species		Quercus robur				
Common Name	ne English oak					
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M)	)	10
Trunk Circum	10	60	No of T	runl	<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> 1∟</u>	E ASSE	<u> </u>		<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	111
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	E
ı	JRB	AN AMENIT	/ ASSESS	MENT	E
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		- Netani	
GENERAL TRE	E D	ATA			
Assessment Dat	t Date 24 April 2018				
Species		Quercus robur			
Common Name		English oak			
LOCATION	LOCATION				
E:			N:		
Height (M)	12		Canopy (M) 28		28
Trunk Circum	24	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					•
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	1				
Risk Potential	2				
Health / Condition	4				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I VEE ASSESSIVIEIN					1	
SUMMARY						
		TREE NU	MBER/G	ROU	Р	112
		REC	GULATED	TRE	Έ	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	IT	М
l	JRB	AN AMENIT	/ ASSESS	MEN	IT	Н
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	15		Canopy (M) 23		23	
Trunk Circum	15	00	No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				•		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	2				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	<u> </u>	:001V		N	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	113
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	TV	М
ι	JRB	AN AMENITY	/ ASSESS	MEN	T	H
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		. Ketaiii		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	)	19
Trunk Circum	18	40	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	114
		REG	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Р
l	JRB.	AN AMENITY	/ ASSESS	MENT	L
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove	
Landscape Architect		SPACELAB		Kemove	
GENERAL TRE	E D	ATA			
Assessment Dat	ssment Date 24 April 2018				
Species		Eucalyptus nicholii			
Common Name	on Name Willow-leaved peppermint				
LOCATION					
E:			N:		
Height (M)	13		Canopy	(M)	21
Trunk Circum	18	30	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	2				
Disease	1				
Epicormic Growth	2				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>		I
SUMMARY					
		TREE NU	MBER/G	ROUP	115
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
ı	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist	<b>Arborist</b> J				Retain
Landscape Architect		SPACELAB			
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species Quercus robur					
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	20
Trunk Circum	20	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ADDEDDINIEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	116
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
J	JRB.	AN AMENITY	Y ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Eucalyptus		ra	
Common Name					
LOCATION					
E:			N:		
Height (M)	15		Canopy	/ (M)	25
Trunk Circum	20	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		l	
SUMMARY						
		TREE NU	MBER/G	ROUP	117	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	\RB(	ORCULTURA	L ASSESS	MENT	М	
ı	JRB.	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist	Arborist JI				Retain	
Landscape Architect		SPACELAB				
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species Eucalyptus mannifera						
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	15		Canopy	(M)	16	
Trunk Circum	18	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	E ASSE	. <u> </u>	ILIN	<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	118	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
P	RBO	ORCULTURA	L ASSESS	MENT	М	
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species Eucalyptus mannifera						
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	20	
Trunk Circum	19	00	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	7	E 433E	:221 <u>v</u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	119
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netuni	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species	Casuarina cunninghamiana				
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	10
Trunk Circum	69	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					<i>l</i> I
SUMMARY					
		TREE NU	MBER/G	ROUP	120
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		RETAIN AND IAGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			rictaiii
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Eucalyptus mannifera			
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	15		Canopy	(M)	14
Trunk Circum	67	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	121
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
ρ	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2			18		
Species	Eucalyptus mannifera				
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	11		Canopy	(M)	15
Trunk Circum	88	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u>{                                    </u>	<u> </u>	:55IV	<u>IFIN</u>	l
SUMMARY					
		TREE NU	MBER/G	ROUP	122
		REC	GULATED	TREE	
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURAI	ASSESS	MENT	
ι	JRB.	AN AMENITY	/ ASSESS	MENT	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			
Landscape		SPACELAB			
Architect					
GENERAL TRE	E C	ATA			
Assessment Dat	е	24 April 2018			
Species		DEAD			
Common Name					
LOCATION					
E:			N:	()	
Height (M)			Canopy	(M)	
Trunk Circum	runk Circum No of Trunks				
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK					
POTENTIAL TO IMPROVE AMENITY					
NOTES					
Dead					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density				
Canopy Dead Wood				
Insect Attack				
Disease				
Epicormic Growth				
Mistletoe				
Form				
Age				
Tolerance to Disturbance				
Risk Potential				
Health / Condition				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape					
Potential Contribution to Future Landscape					
Visual/ Scenic					
Unique Species					
Habitat Quality					
Habitat Value					
Cultural Value					
Social Value					
Scientific Value					
Remnant Species					
Landscape Tree Group					



11	\ C	F 422F	:221V		V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	123
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
P	RBC	ORCULTURA	L ASSESS	MEN	TI	М
_	JRB.	AN AMENITY	/ ASSESS	MEN	NT	М
RECOMMENDATI	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		Netalli		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	)	16
Trunk Circum	82	0	No of T	runk	<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	<u> </u>	:001V		N	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	124
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	TV	М
ι	JRB	AN AMENIT	/ ASSESS	MEN	TV	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	15		Canopy	(M)	)	15
Trunk Circum	87	0	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	3				
Tolerance to Disturbance	2				
Risk Potential	3				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	E ASSE	<u>. 3318</u>	$\square\square$	<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	125
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	9		Canopy	(M)	12
Trunk Circum	83	0	No of Trunks 1		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	F 422F	:221 <u>V</u>		<u> </u>	l
SUMMARY						
		TREE NU	MBER/G	ROI	UΡ	126
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	ME	TN	М
l	JRB.	AN AMENITY	/ ASSESS	MEI	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Potain		Retain
Landscape Architect		SPACELAB		- Netaiii		ricia
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species	Casuarina cunninghamiana					
Common Name River oak						
LOCATION	LOCATION					
E:			N:			
Height (M)	11		Canopy	(M	)	15
Trunk Circum	10	00	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					N	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	127
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURA	L ASSESS	MEI	TV	М
l	JRB.	AN AMENITY	/ ASSESS	MEI	TV	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		- Netaiii		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION	LOCATION					
E:			N:			
Height (M)	14		Canopy	(M	)	12
Trunk Circum	81	0	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	1				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	E 422E	:221 <u>V</u>		<i> </i>	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	128
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURA	L ASSESS	MEN	ΤV	Р
l	JRB.	AN AMENITY	/ ASSESS	MEN	T	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect	- I SPACELAR			Nemove		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	10		Canopy	(M)	)	13
Trunk Circum	11	90	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	2				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEIN I						
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	129	
		REC	GULATED	TREE	Y	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT	M	
ι	JRB.	AN AMENITY	/ ASSESS	MENT	M	
RECOMMENDATION	ON	NAM	E		RETAIN AND LAGE / REMOVE	
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	15		Canopy	(M)	24	
Trunk Circum	15	20	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1					-	
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	3				
Tolerance to Disturbance	2				
Risk Potential	3				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	I KEE ASSESSIVIEN					l
SUMMARY						
		TREE NU	MBER/G	ROU	ΙP	130
		REC	GULATED	TRE	ΞE	N
		REC	SISTERED	TRE	ΞE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURA	L ASSESS	MEN	I	М
_	JRB.	AN AMENITY	/ ASSESS	MEN	IT	М
RECOMMENDATI	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		. Ketaiii		recuiii
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa 'Raywood'				
Common Name Claret ash						
LOCATION	LOCATION					
E:			N:			
Height (M)	7		Canopy	(M)	)	7
Trunk Circum	45	0	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					1	
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	131
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		- Retuin	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Pinus patula			
Common Name Mexican yellow pine					
LOCATION					
E: N:					
Height (M)	10		Canopy	/ (M)	13
Trunk Circum	10	.000 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	132
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
ı	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			riciani
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Pinus patula			
Common Name Mexican yellow pine					
LOCATION					
E:			N:		
Height (M)	7		Canopy	(M)	8
Trunk Circum	67	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	<u> </u>	:001V		1/	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	RO	UΡ	133
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	ΜE	NT	Р
ι	JRB	AN AMENIT	/ ASSESS	ΜE	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M	)	14
Trunk Circum	90	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	2				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	<u>E ASSE</u>	<u>:551V</u>	<u>IFIN</u>	l
SUMMARY					
		TREE NU	MBER/G	ROUP	134
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netaiii	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			1
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy (M) 14		14
Trunk Circum	90	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>	<u> </u>	1 /	<u> </u>
SUMMARY						
TREE NUMBER/GROUP				UP	135	
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	ME	ΝT	M
ı	JRB.	AN AMENITY	/ ASSESS	ME	NT	M
RECOMMENDATI	ON	NAM	E	М		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	E D	ATA				
Assessment Dat	te 24 April 2018					
Species		Casuarina cunninghamiana				
Common Name	ame River oak					
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M	1)	14
Trunk Circum	90	No of Trunks 1		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



TIVEL ASSESSIVILIVI						
SUMMARY						
TREE NUMBER/GROUP				JP	136	
		REC	GULATED	TRE	EE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBC	ORCULTURAI	ASSESS	MEN	TI	М
J	JRB	AN AMENITY	/ ASSESS	MEN	<b>IT</b>	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Ketaiii		
GENERAL TRE	E D	ATA				
Assessment Dat	Date 24 April 2018					
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M)	)	14
Trunk Circum	90	0	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	TREE NU	MBER/G	POLID	127
	TREE NU	MBER/G	POLID	127
		· · · · - · · · · · · ·	NOOF	137
	REC	GULATED	TREE	Υ
	REC	SISTERED	TREE	N
MEI	NT			
RBC	ORCULTURAI	L ASSESS	MENT	M
JRB	AN AMENITY	/ ASSESS	MENT	M
ON	NAM	E		TAIN AND GE / REMOVE
	JL, ST			Retain
Landscape Architect				Tretain.
E D	ATA			
Assessment Date 24 April 2018				
Casuarina cunninghamiana				
Common Name River oak				
LOCATION				
		N:		
12		Canopy	′ (M)	14
90	No of Trunks		1	
TREE MANAGEMENT				
POTENTIAL TO REDUCE RISK 2				
POTENTIAL TO IMPROVE AMENITY 2				
NOTES				
	IRBO JRB DN EE D e e 12 90 GEM	JRBAN AMENITY ON NAM  JL, ST  SPACELAB  EE DATA  e 24 April 20  Casuarina of River oak  12  900  EEMENT  REDUCE RISK	IRBORCULTURAL ASSESS JRBAN AMENITY ASSESS ON NAME  JL, ST  SPACELAB  EE DATA  e 24 April 2018  Casuarina cunningh River oak  N:  12 Canopy  900 No of T  EEMENT  REDUCE RISK	REPORCULTURAL ASSESSMENT  JRBAN AMENITY ASSESSMENT  ON NAME REMANA  JL, ST  SPACELAB  E DATA  e 24 April 2018  Casuarina cunninghamiana River oak  N:  12 Canopy (M)  900 No of Trunks  EMENT  REDUCE RISK 2

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	1			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



IKEE ASSESSIVIENT					l
SUMMARY					
		TREE NU	MBER/G	ROUP	138
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBO	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netum	
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	e	e 24 April 2018			
Species		Fraxinus oxycarpa 'Raywood'			od'
Common Name	ame Claret ash				
LOCATION					
E: N:					
Height (M)	6		Canopy	(M)	7
Trunk Circum	42	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u>/ L</u>	F 422F	<u>.331v</u>	ILIV	<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	139
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURAI	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		_ Ketaiii	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa 'Raywood'			
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	4		Canopy	(M)	8
Trunk Circum	71	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	3				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	۲E	E 422E	:221V	I E I /		
SUMMARY						
		TREE NU	MBER/G	ROUF	•	140
		REC	GULATED	TREE	Ξ	N
		REC	SISTERED	TREE	Ē	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Γ	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	Γ	М
RECOMMENDATION	ON	NAM	E	-		AIN AND SE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa 'Raywood'			ď	
Common Name Claret ash						
LOCATION						
E:			N:			
Height (M)	3		Canopy	(M)		6
Trunk Circum	42	0	No of T	runks	;	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1					L	
POTENTIAL TO IMPROVE AMENITY 1					1	
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	3				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	E 433E	:221 <u>v</u>	<u>  [ ] </u>	<u> </u>	l
SUMMARY						
		TREE NU	MBER/G	ROU	JP	141
		REC	GULATED	TRE	EE	N
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	L ASSESS	MEN	TI	М
ι	JRB.	AN AMENITY	/ ASSESS	MEN	١T	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB		. Netalli		Retuin
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa 'Raywood'				
Common Name Claret ash						
LOCATION						
E:			N:			
Height (M)	5		Canopy	(M)	)	10
Trunk Circum	76	0	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	3				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E ASSE	:001V	ILIA	<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	142	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	М	
ı	JRB.	AN AMENIT	/ ASSESS	MENT	М	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB			Treedin.	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa 'Raywood			ď	
Common Name Claret ash						
LOCATION	LOCATION					
E:			N:			
Height (M)	4		Canopy	(M)	9	
Trunk Circum	58	0	No of Trunks 1		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEIN					I
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	143
		REG	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		recum	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species Fraxinus oxycarpa 'Raywoo			od'		
Common Name	Claret ash				
LOCATION					
E:			N:		
Height (M)	4		Canopy	(M)	7
Trunk Circum	52	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	I KEE ADDEDDINIEIN I				
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	144
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Δ	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species	Fraxinus oxycarpa 'Raywoo			od'	
Common Name		Claret ash			
LOCATION					
E:			N:		
Height (M)	4		Canopy	(M)	7
Trunk Circum	48	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	I KEE ASSESSIVIEIN				
SUMMARY					
		TREE NU	MBER/G	ROUP	145
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	\RB(	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species Fraxinus oxycarpa 'Raywood'			od'		
Common Name Claret ash					
LOCATION					
E:	E: N:				
Height (M)	5		Canopy	(M)	9
Trunk Circum	71	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ADDEDDINIEIN I					l
SUMMARY					
		TREE NU	MBER/G	ROUP	146
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBO	ORCULTURAI	L ASSESS	MENT	M
ı	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			netani
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Fraxinus oxycarpa 'Raywood'			od'		
Common Name Claret ash					
LOCATION					
E:	E: N:				
Height (M)	7		Canopy	(M)	13
Trunk Circum	87	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	F 422F	<u>:551V</u>	<u>IEIN</u>	l
SUMMARY					
		TREE NU	MBER/G	ROUP	147
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	M
ι	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. Retuin	
GENERAL TRE	E D	ATA			
Assessment Dat	ment Date 24 April 2018				
Species		Fraxinus oxycarpa 'Raywood'			
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	5		Canopy	(M)	11
Trunk Circum	69	0	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	3				
Tolerance to Disturbance	3				
Risk Potential	3				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	F 422F	:001V		I V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	148
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURAI	L ASSESS	MEI	TV	М
l	JRB.	AN AMENITY	/ ASSESS	MEI	TV	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		Netain		. retuin
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa 'Raywood'				
Common Name Claret ash						
LOCATION	LOCATION					
E:			N:			
Height (M)	4		Canopy	(M	)	12
Trunk Circum	55	0	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1				1		
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1		E ASSE	-331V		<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	JP	149
		REC	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	JT	Р
l	JRB	AN AMENIT	/ ASSESS	MEN	ΙT	L
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove		
Landscape Architect	- Ι ΝΡΔ( ΕΙ ΔΒ					
GENERAL TRE	GENERAL TREE DATA					
Assessment Dat	Assessment Date 24 April 2018					
Species	Eucalyptus nicholii					
Common Name Willow-leaved peppermint						
LOCATION						
E:			N:			
Height (M)	18		Canopy	<b>Canopy (M)</b> 20		20
Trunk Circum	10	60	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						
Rot at 4-6m						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	1				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	150
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	E
l	JRB.	AN AMENITY	/ ASSESS	MENT	E
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Retuin	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Pinus patula			
Common Name Mexican yellow pine					
LOCATION	LOCATION				
E:			N:		
Height (M)	17		Canopy	′ (M)	29
Trunk Circum	50	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	4				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	151
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netulii	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species	Pinus patula				
Common Name Mexican yellow pine					
LOCATION					
E:			N:		
Height (M)	15		Canopy	/ (M)	18
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	4			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



- 11	<u> ۲۲</u>	E A55E	<u>:551V</u>	<u>                                      </u>	<u> </u>	<u> </u>
SUMMARY						
		TREE NU	MBER/G	ROU	Р	152
		REC	GULATED	TRE	E	Υ
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MEN	Т	М
ı	JRB.	AN AMENIT	/ ASSESS	MEN	Т	Н
RECOMMENDATI	ON	NAM	E			TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB			Netain	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species Sophora japonica						
Common Name Pagoda tree						
LOCATION						
E: N:						
Height (M)	8		Canopy	(M)		14
Trunk Circum	14	50	No of T	runk	s	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1				1		
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
<b>Epicormic Growth</b>	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E 433E	:221 <u>v</u>	$ \Box $	l
SUMMARY					
		TREE NU	MBER/G	ROUP	153
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
U	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		rictaiii	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species	Sophora japonica				
Common Name Pagoda tree					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	16
Trunk Circum	17	30	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> ۲۲</u>	E A55E	<u>:551V</u>	<u> </u>	
SUMMARY					
		TREE NU	MBER/G	ROUP	154
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netain	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Sophora japonica					
Common Name Pagoda tree					
LOCATION					
E:			N:		-
Height (M)	10		Canopy	(M)	16
Trunk Circum	20	30	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	I KEE HOOEOOINIEIN				
SUMMARY					
		TREE NU	MBER/G	ROUP	155
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	M
U	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST		Reta	
Landscape Architect		SPACELAB		neta	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Sophora japonica			
Common Name Pagoda tree					
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	14
Trunk Circum	18	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE HOOEDOIMEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	156
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Р
ι	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB		. Nemove	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa			
Common Name Desert ash					
LOCATION					
E:			N:		
Height (M)	8		Canopy	′ (M)	12
Trunk Circum	14	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	1			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	I LEE HOOEDOINIEIN				
SUMMARY					
		TREE NU	MBER/G	ROUP	157
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	M
ı	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			riciani
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Fraxinus oxycarpa 'Raywoo			ď		
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	7		Canopy	(M)	7
Trunk Circum	64	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				

GONE	

TREE ASSESSMENT						
SUMMARY						
		TREE NU	MBER/G	ROU	Р	158
		REG	GULATED	TRE	E	
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	Т	
ι	JRB.	AN AMENIT	/ ASSESS	MEN	T	
RECOMMENDATION	ON	NAM	E			TAIN AND GE / REMOVE
Arborist		JL, ST				
Landscape Architect		SPACELAB				
GENERAL TRE	ED	ATA				
Assessment Dat	e 24 April 2018					
Species		GONE				
Common Name						
LOCATION						
E:	E: N:					
Height (M)		Canopy (M)				
Trunk Circum	No of Trunks					
TREE MANAG	TREE MANAGEMENT					
POTENTIAL TO F	POTENTIAL TO REDUCE RISK					
POTENTIAL TO IMPROVE AMENITY						
NOTES	NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density				
Canopy Dead Wood				
Insect Attack				
Disease				
Epicormic Growth				
Mistletoe				
Form				
Age				
Tolerance to Disturbance				
Risk Potential				
Health / Condition				


URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape			
Potential Contribution to Future Landscape			
Visual/ Scenic			
Unique Species			
Habitat Quality			
Habitat Value			
Cultural Value			
Social Value			
Scientific Value			
Remnant Species			
Landscape Tree Group			



I KEE HOOEDDINIEIN						l	
SUMMARY							
		TREE NU	MBER/G	ROUF	,	159	
		REC	GULATED	TREE	:	Υ	
		REC	SISTERED	TREE	:	N	
TREE ASSESSI	MEI	NT					
A	RBO	ORCULTURA	L ASSESS	MENT	1	М	
ı	JRB.	AN AMENITY	/ ASSESS	MENT	Ī	Н	
RECOMMENDATI	ON	NAM	E	-		TAIN AND GE / REMOVE	
Arborist		JL, ST				Retain	
Landscape Architect		SPACELAB		- Netalli		recuii.	
GENERAL TRE	E D	ATA					
Assessment Dat	ssessment Date 24 April 2018						
Species		Eucalyptus mannifera					
Common Name	White brittle gum						
LOCATION							
E:			N:				
Height (M)	17		Canopy (M)			21	
Trunk Circum	25	00	No of Trunks			1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2			2				
POTENTIAL TO I	POTENTIAL TO IMPROVE AMENITY 2			2			
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	3			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	I KEE ASSESSIVIEN				
	TREE NU	MBER/G	ROL	JP	160
	REC	GULATED	TR	EE	Υ
	REC	SISTERED	TR	EE	N
MEI	NT				
<b>ARB</b> (	ORCULTURA	L ASSESS	MEI	TV	М
JRB.	AN AMENITY	/ ASSESS	MEI	TV	Н
ON	NAM	E	M		TAIN AND GE / REMOVE
	JL, ST		Retain		Retain
	SPACELAB		. inclairi		
E D	ATA				
sessment Date 24 April 2018					
	Eucalyptus mannifera				
	White brittle gum				
LOCATION					
		N:			
13		Canopy (M)		)	26
16	00	No of Trunks		ks	1
TREE MANAGEMENT					
	POTENTIAL TO REDUCE RISK 2				
REDI	JCE RISK			2	
	JCE RISK ROVE AMEN	ITY		2	
		ITY			
		ITY			
	JRBOON  EEE D  13	REC REC MENT ARBORCULTURAL JRBAN AMENITY ON NAM JL, ST SPACELAB EE DATA EE 24 April 20 Eucalyptus White britt  13 1600	REGULATED REGISTERED MENT ARBORCULTURAL ASSESS JRBAN AMENITY ASSESS ON NAME  JL, ST  SPACELAB  EE DATA  Ee 24 April 2018 Eucalyptus mannife White brittle gum  N: 13 Canopy  1600 No of T	REGULATED TR REGISTERED TR MENT ARBORCULTURAL ASSESSMEI JRBAN AMENITY ASSESSMEI JRBAN AMENITY ASSESSMEI JL, ST SPACELAB EE DATA EE 24 April 2018 Eucalyptus mannifera White brittle gum  N: 13 Canopy (M 1600 No of Trun	ARBORCULTURAL ASSESSMENT  JRBAN AMENITY ASSESSMENT  ON NAME RET MANAGE  JL, ST  SPACELAB  EE DATA  See 24 April 2018  Eucalyptus mannifera  White brittle gum  N:  13 Canopy (M)  1600 No of Trunks

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	3			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE HOOEOOIMEIN					I V	l
SUMMARY						
		TREE NU	MBER/G	ROI	JP	161
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSMENT						
A	<b>ARB</b> (	ORCULTURA	L ASSESS	ME	NT	Р
l	JRB.	AN AMENITY	/ ASSESS	MEI	NT	L
RECOMMENDATI	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name	me Desert ash					
LOCATION						
E:			N:			
Height (M)	10		Canopy (M)		)	14
Trunk Circum	19	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3			3			
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						
Almost dead						

ARBORICULTURAL CHARACTERISTICS			
	RATING		
Canopy Density	1		
Canopy Dead Wood	1		
Insect Attack	1		
Disease	1		
Epicormic Growth	3		
Mistletoe	3		
Form	4		
Age	2		
Tolerance to Disturbance	2		
Risk Potential	2		
Health / Condition	3		


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	3			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



<u> </u>	<u> </u>	E ASSE	<u>. 3318</u>		l	
SUMMARY						
		TREE NU	MBER/G	ROUP	162	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	TREE ASSESSMENT					
Α	RBC	ORCULTURAI	L ASSESS	MENT	M	
l	JRB	AN AMENITY	/ ASSESS	MENT	M	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Sophora japonica				
Common Name		Pagoda tree				
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	18	
Trunk Circum	14	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Rot in branches						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS	
	RATING
Contribution to Existing Landscape	2
Potential Contribution to Future Landscape	2
Visual/ Scenic	2
Unique Species	1
Habitat Quality	1
Habitat Value	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1
Landscape Tree Group	



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	163
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netairi	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Sophora japonica			
Common Name		Pagoda tree			
LOCATION					
E:			N:		
Height (M)	13		Canopy	(M)	20
Trunk Circum	18	20	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



<u> </u>	E 422E	:221 <u>V</u>		IN	l
SUMMARY					
	TREE NU	MBER/G	RO	UP	164
	REC	GULATED	TR	EE	Υ
	REC	SISTERED	TR	EE	N
MEI	NT				
RBO	ORCULTURA	L ASSESS	ME	ΝT	М
JRB.	AN AMENITY	/ ASSESS	ME	NT	М
ON	NAM	E	M		TAIN AND GE / REMOVE
	JL, ST				Retain
	SPACELAB		. ivetaiii		ricia
E D	ATA				
Assessment Date 24 April 2018					
	Sophora japonica				
Common Name Pagoda tree  LOCATION					
		N:			
13		Canopy (M)		1)	16
17	50	No of T	run	ks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2				2	
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					
	MEIARBO	TREE NU REC REC MENT ARBORCULTURAL JRBAN AMENITY ON NAM JL, ST SPACELAB EE DATA EE 24 April 20 Sophora ja Pagoda tre  13 1750 GEMENT REDUCE RISK	TREE NUMBER/G  REGULATED  REGISTERED  MENT  ARBORCULTURAL ASSESS  JRBAN AMENITY ASSESS  ON NAME  JL, ST  SPACELAB  EE DATA  See 24 April 2018 Sophora japonica Pagoda tree  N:  13 Canopy  1750 No of T  GEMENT  REDUCE RISK	TREE NUMBER/GROUNE REGULATED TRESISTERED T	ARBORCULTURAL ASSESSMENT  JRBAN AMENITY ASSESSMENT  ON NAME RET MANAGE  JL, ST  SPACELAB  EE DATA  Ee 24 April 2018 Sophora japonica Pagoda tree  N:  13 Canopy (M)  1750 No of Trunks  EEMENT  REDUCE RISK 2

ARBORICULTURAL CHARACTERISTICS					
RATING					
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	2				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	1 E	E 422E	:221V		I	l
SUMMARY						
		TREE NU	MBER/G	RO	JP	165
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESS	MEI	NT				
Į.	<b>ARB</b> (	ORCULTURA	L ASSESS	MEI	NT	М
l	JRB.	AN AMENITY	/ ASSESS	MEI	NT	M
RECOMMENDATI	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		Netairi		riciani
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Sophora japonica				
Common Name Pagoda tree						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M	)	18
Trunk Circum	14	40	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2					2	
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	.331V		<i>N</i>	
SUMMARY						
		TREE NU	MBER/G	ROU	JP	166
		REC	GULATED	TRE	EE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	TI	M
l	JRB	AN AMENIT	/ ASSESS	MEN	JT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Pinus patula				
Common Name		Mexican yellow pine				
LOCATION						
E:			N:			
Height (M)	13		Canopy (M)		)	12
Trunk Circum	33	00	No of T	runk	(S	1
TREE MANAG	TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Large scar 2-4r	n					

ARBORICULTURAL CHARACTERISTICS					
RATING					
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	2				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	4				


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					1	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	ΙP	167
		REC	GULATED	TRE	E	Υ
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
Д	RBC	DRCULTURAI	L ASSESS	MEN	ΙT	М
ι	JRB.	AN AMENITY	/ ASSESS	MEN	IT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species Eucalyptus mannifera						
Common Name White brittle gum						
LOCATION						
E:	E: N:					
Height (M)	17		Canopy	(M)		26
Trunk Circum	20	00	No of Trunks		(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2					2	
NOTES						
Active hollow						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7 <u> </u>	<u> </u>	:221A		1	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUF	,	168
		REC	GULATED	TREE	Ξ	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	Γ	М
ı	JRB.	AN AMENITY	/ ASSESS	MENT	Γ	Н
RECOMMENDATI	ON	NAM	E	-		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		Netalli		. retuin
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	16		Canopy	(M)		24
Trunk Circum	17	70	No of Trunks		;	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2					2	
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	2				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	169
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	М
ı	JRB.	AN AMENIT	Y ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netuni	
GENERAL TRE	E D	ATA			
Assessment Dat	T T T				
Species		Eucalyptus mannifera			
Common Name					
LOCATION					
E:			N:		
Height (M)	17		<b>Canopy (M)</b> 20		20
Trunk Circum	22	10	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



INLL ASSESSIVILIVI						
SUMMARY						
		TREE NU	MBER/G	ROU	)	170
		REC	GULATED	TRE	Ε	N
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	Г	Р
ι	JRB.	AN AMENITY	/ ASSESS	MEN	Γ	L
RECOMMENDATION	ON	NAM	E	_		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name		Desert ash				
LOCATION						
E:			N:			
Height (M)	5		Canopy	(M)		10
Trunk Circum	67	0	No of T	runks	,	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	3				
Age	3				
Tolerance to Disturbance	2				
Risk Potential	3				
Health / Condition	1				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	1				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ADDEDDINIEIN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	171
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	\RB(	ORCULTURA	L ASSESS	MENT	Р
ı	JRB.	AN AMENITY	/ ASSESS	MENT	L
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB		Kemove	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa			
Common Name	Desert ash				
LOCATION					
E:			N:		
Height (M)	5		Canopy	(M)	10
Trunk Circum	10	40	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	2			
Risk Potential	3			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	1			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				

GONE	

- 11	TREE ASSESSIVIENT				
SUMMARY					
		TREE NU	MBER/G	ROUP	172
		RE	GULATED	TREE	
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	
l	JRB.	AN AMENIT	/ ASSESS	MENT	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			
Landscape Architect		SPACELAB			
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	ate 24 April 2018				
Species	GONE				
Common Name					
LOCATION					
E:			N:		
Height (M)		Canopy (M)			
Trunk Circum			No of T	runks	
TREE MANAG	iΕΝ	IENT			
POTENTIAL TO F	REDI	UCE RISK			
POTENTIAL TO IMPROVE AMENITY					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density				
Canopy Dead Wood				
Insect Attack				
Disease				
Epicormic Growth				
Mistletoe				
Form				
Age				
Tolerance to Disturbance				
Risk Potential				
Health / Condition				


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape				
Potential Contribution to Future Landscape				
Visual/ Scenic				
Unique Species				
Habitat Quality				
Habitat Value				
Cultural Value				
Social Value				
Scientific Value				
Remnant Species				
Landscape Tree Group				



	\ <u></u>		.5510		I VI	ı
SUMMARY						
		TREE NU	MBER/G	ROL	JP	173
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEI	TV	Н
l	JRB.	AN AMENIT	ASSESS	MEI	TV	E
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species	Eucalyptus mannifera					
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	16		Canopy	(M	)	19
Trunk Circum	27	00	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO I	POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Active hollows						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	3			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ADDEDDINIEIN						
SUMMARY						
		TREE NU	MBER/G	ROUP	,	174
		REC	GULATED	TREE		Υ
		REC	SISTERED	TREE		N
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	•	М
ı	JRB.	AN AMENITY	/ ASSESS	MENT	•	М
RECOMMENDATI	ON	NAM	E			AIN AND E / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect	•		SPACELAB			
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus nicholii				
Common Name Willow-leaved peppermint						
LOCATION						
E:			N:			
Height (M)	16		Canopy	(M)		15
Trunk Circum	27	00	No of T	runks		1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	. <u> </u> 3318		I N	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	175
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Δ	RBC	ORCULTURA	L ASSESS	MEI	TV	Р
ι	JRB.	AN AMENIT	/ ASSESS	MEI	TV	L
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name	White brittle gum					
LOCATION						
E:			N:			
Height (M)	14		Canopy	(M	)	13
Trunk Circum	14	50	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Rot						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	1			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	176
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netain	
GENERAL TRE	E D	ATA			
Assessment Dat	:e	24 April 2018			
Species		Quercus bicolor			
Common Name		Swamp white oak			
LOCATION					
E:			N:		
Height (M)	12		Canopy (M)		12
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE HOOEDDINIEIN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	177
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	E
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		, recuir	
GENERAL TRE	E D	ATA			
Assessment Dat	:e	24 April 2018			
Species		Eucalyptus mannifera			
Common Name		White brittle gum			
LOCATION					
E:			N:		
Height (M)	17	Canopy (M)		15	
Trunk Circum	26	80 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2				2	
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	1			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	3			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	.331V		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROU	JP	178
		REC	GULATED	TRE	E	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	ΙT	Н
l	JRB.	AN AMENIT	/ ASSESS	MEN	ΙT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name	English oak					
LOCATION						
E:			N:			
Height (M)	14		Canopy (M)			17
Trunk Circum	15	50	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	179
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		. Retuin	
GENERAL TRE	E D	ATA			
Assessment Dat	:e	24 April 2018			
Species		Fraxinus ox	kycarpa 'l	Raywoo	od'
Common Name		Claret ash			
LOCATION					
E:			N:		
Height (M)	6		Canopy (M)		12
Trunk Circum	74	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1				1	
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	180
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	Н
ι	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. netuii	
GENERAL TRE	E D	ATA			
Assessment Dat	e 24 April 2018				
Species		Quercus robur			
Common Name		English oak			
LOCATION					
E:			N:		
Height (M)	14		Canopy (M)		18
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2				2	
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



- 11	<u> </u>	<u> </u>	<u>. 331V</u>		1	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUF	,	181
		REC	GULATED	TREE		Υ
		REC	SISTERED	TREE	:	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Г	М
l	JRB	AN AMENIT	/ ASSESS	MENT	Γ	Н
RECOMMENDATION	ON	NAM	E			TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name		River oak				
LOCATION						
E:			N:			
Height (M)	13	Canopy (M)		9		
Trunk Circum	14	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				)		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					<u>                                      </u>	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	182
		REC	GULATED	TR	EE	N
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEI	TV	М
ι	JRB	AN AMENITY	/ ASSESS	MEI	TV	H
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	11	Canopy (M)		9		
Trunk Circum	12	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I VEE ASSESSIVIEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	183
		REC	GULATED	TREE	Υ
		REC	GISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Δ	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Retuin	
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	:e	·			
Species		Casuarina d	cunningh	amiana	
Common Name		River oak			
LOCATION					
E:			N:		
Height (M)	13	Canopy (M) 9		9	
Trunk Circum	14	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2				2	
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	184
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netani	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			
Common Name		River oak			
LOCATION					
E:			N:		
Height (M)	12	Canopy (M)		9	
Trunk Circum	91	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					N	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	185
		REC	GULATED	TR	EE	N
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEI	TV	М
ı	JRB.	AN AMENITY	/ ASSESS	MEI	TV	М
RECOMMENDATI	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name						
LOCATION						
E:			N:			
Height (M)	8		Canopy (M)		)	11
Trunk Circum	94	0 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2				2		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



- 11	<u> </u>	<u>E ASSE</u>	<u>:551V</u>	<u>IEIN</u>	
SUMMARY					
		TREE NU	MBER/G	ROUP	186
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netaiii	
GENERAL TREE DATA					
Assessment Dat					
Species		Casuarina d	cunningh	amiana	1
Common Name		River oak			
LOCATION					
E:			N:		
Height (M)	17	Canopy (M)		14	
Trunk Circum	15	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<b>\</b> [	F 422F	:221A		<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	187
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	TI	М
ι	JRB	AN AMENIT	/ ASSESS	MEN	TI	Н
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name	ne River oak					
LOCATION						
E:			N:			
Height (M)	14	Canopy (M)		12		
Trunk Circum	16	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	2		
Potential Contribution to Future Landscape	2		
Visual/ Scenic	2		
Unique Species	1		
Habitat Quality	2		
Habitat Value	3		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			



	I KEE ASSESSIVIEIN					l	
SUMMARY							
		TREE NU	MBER/G	ROL	JP	188	
		REC	GULATED	TR	EE	Υ	
		REC	SISTERED	TR	EE	N	
TREE ASSESSI	MEI	NT					
Δ	RBC	ORCULTURA	L ASSESS	MEI	TV	М	
U	JRB.	AN AMENITY	/ ASSESS	MEI	TV	M	
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE	
Arborist		JL, ST				Retain	
Landscape Architect		SPACELAB		recum			
GENERAL TRE	E D	ATA					
Assessment Dat	Assessment Date 24 April 2018						
Species		Quercus ro	bur				
Common Name		English oak					
LOCATION							
E:			N:				
Height (M)	13		Canopy (M)		)	13	
Trunk Circum	10	40	0 No of Trunks		ks	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2			2				
POTENTIAL TO IMPROVE AMENITY 2			2				
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



- 11	<u> </u>	<u>E ASSE</u>	<u>:551V</u>	IFIN	l
SUMMARY					
		TREE NU	MBER/G	ROUP	189
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Retail	
GENERAL TRE	E D	ATA			
Assessment Dat	e 24 April 2018				
Species		Quercus ro	bur		
Common Name		English oak			
LOCATION					
E:			N:		
Height (M)	7	Canopy (M)		9	
Trunk Circum	79	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	3		
Potential Contribution to Future Landscape	3		
Visual/ Scenic	3		
Unique Species	1		
Habitat Quality	1		
Habitat Value	1		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			



INLL ASSESSIVILIVI					
SUMMARY					
		TREE NU	MBER/G	ROUP	190
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	M
ι	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Dat	ssment Date 24 April 2018				
Species		Pinus radiata			
<b>Common Name</b>		Radiata pine			
LOCATION	LOCATION				
E:			N:		
Height (M)	14		Canopy (M) 9		9
Trunk Circum	15	50	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					
Weed species					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	1			
Visual/ Scenic	1			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I LEE HOOESOIVIEIN					
SUMMARY					
		TREE NU	MBER/G	ROUP	191
		REC	GULATED	TREE	Y
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURAI	L ASSESS	MENT	M
l	JRB	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Dat	:e	24 April 2018			
Species		Casuarina cunninghamiana			
Common Name		River oak			
LOCATION					
E:			N:		
Height (M)	13		Canopy (M)		10
Trunk Circum	16	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	F 422F	:221V	IEIV		
SUMMARY						
		TREE NU	MBER/G	ROUP	19	92
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	\RB(	ORCULTURA	L ASSESS	MENT	'	M
ı	JRB.	AN AMENIT	/ ASSESS	MENT	' I	M
RECOMMENDATI	ON	NAM	E		ETAIN AGE /	AND REMOVE
Arborist		JL, ST			Ret	ain
Landscape Architect		SPACELAB		, including		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	9	Canopy (M)		10	)	
Trunk Circum	Circum 650 No of Trunks		1			
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I LEE HOOESOIVIEIN					
SUMMARY					
		TREE NU	MBER/G	ROUP	193
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	\RB(	ORCULTURAI	L ASSESS	MENT	Н
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Retuin	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name		English oak			
LOCATION					
E:			N:		
Height (M)	13		Canopy	(M)	26
Trunk Circum	15	50 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ADDEDDINIEIN					<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROU	Р	194
		REC	GULATED	TRE	Έ	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	IT	М
ι	JRB.	AN AMENITY	/ ASSESS	MEN	IT	M
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name		English oak				
LOCATION						
E:			N:			
Height (M)	11		Canopy	(M)		14
Trunk Circum	11	60	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2				2		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1 [	I VEE HOOEDOIVIEIVI				
SUMMARY					
		TREE NU	MBER/G	ROUP	195
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
_	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name		English oak			
LOCATION	LOCATION				
E:			N:		
Height (M)	13		Canopy	(M)	19
Trunk Circum	20	00	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ADDEDDINIEIN					Ш	
SUMMARY						
		TREE NU	MBER/G	ROUP	,	196
		REC	GULATED	TREE	:	Υ
		REC	SISTERED	TREE	:	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT	•	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	•	M
RECOMMENDATION	ON	NAM	E	-		AIN AND SE / REMOVE
Arborist		JL, ST	р		Retain	
Landscape Architect		SPACELAB		neta		
GENERAL TRE	E D	ATA				
Assessment Dat	Date 24 April 2018					
Species		Quercus robur				
Common Name		English oak				
LOCATION						
E:			N:			
Height (M)	12		Canopy (M)			12
Trunk Circum	15	00	No of T	runks		1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



- 11	<u>\</u> ∟	L AJJL	<u> </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	197
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
ı	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Dat	ssessment Date 24 April 2018				
Species		Fraxinus oxycarpa			
Common Name	ame Desert ash				
LOCATION					
E:			N:		
Height (M)	13		Canopy (M)		20
Trunk Circum	20	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	198
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	TI	М
ι	JRB	AN AMENIT	/ ASSESS	MEN	ΝT	M
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name	me Desert ash					
LOCATION						
E:			N:			
Height (M)	13	Canopy (M)		18		
Trunk Circum	20	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS	
	RATING
Contribution to Existing Landscape	3
Potential Contribution to Future Landscape	2
Visual/ Scenic	2
Unique Species	1
Habitat Quality	1
Habitat Value	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1
Landscape Tree Group	



<u> </u>	7	E 433E	:001V	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	199
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBO	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus ox	ycarpa		
Common Name Desert ash					
LOCATION					
E:			N:		1
Height (M)	17		Canopy	(M)	16
Trunk Circum	14	80	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I LEE HOOEDOINIEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	200
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 2		24 April 20	18		
Species Sophora japonica					
Common Name Pagoda tree		e			
LOCATION					
E:			N:		
Height (M)	16		Canopy (M) 16		16
Trunk Circum	15	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	-2210		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	201
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESSI	MENT	M
l	JRB.	AN AMENIT	/ ASSESSI	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 20		18			
Species Sophora japonica					
Common Name Pagoda tree			e		
LOCATION					
E:			N:		_
Height (M)	10		Canopy (M) 14		14
Trunk Circum	14	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	I VEE HOOESOIVIEIVI					
SUMMARY						
		TREE NU	MBER/G	ROUP	202	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	М	
l	JRB.	AN AMENITY	/ ASSESS	MENT	М	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		rictaiii		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species Fraxinus oxycarp			kycarpa			
Common Name Desert ash						
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M)	16	
Trunk Circum	15	50 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	7	E ASSE	<u> </u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	203
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		, netuiii	
GENERAL TRE	E D	ATA			
Assessment Date 24 Ap			18		
Species Platanus acerifolia					
Common Name London plane					
LOCATION					
E: N:					
Height (M)	17		Canopy (M) 16		16
Trunk Circum	14	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	F 422F	<u>:551V</u>		<u> </u>	l	
	TREE NU	MBER/G	ROL	JP	204	
	REC	GULATED	TR	EE	N	
	REC	SISTERED	TR	EE	N	
MEI	NT					
RBC	ORCULTURA	L ASSESS	MEI	TV	М	
JRB.	AN AMENITY	/ ASSESS	MEI	TV	М	
ON	NAM	E	MA		TAIN AND GE / REMOVE	
	JL, ST		Potain		Retain	
Landscape Architect		SPACELAB			Retuin	
E D	ATA					
Assessment Date 24 April 2018						
Species Sophora japonica						
Common Name Pagoda tree						
LOCATION						
E: N:						
7		Canopy	(M	)	10	
80	0	No of T	runl	ks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
	MEI JRB ON SEE D	TREE NU REC REC MENT ARBORCULTURAL JRBAN AMENITY ON NAM JL, ST SPACELAB EE DATA EE 24 April 20 Sophora ja Pagoda tre  7 800  SEMENT REDUCE RISK	TREE NUMBER/G  REGULATED  REGISTERED  MENT  ARBORCULTURAL ASSESS  JRBAN AMENITY ASSESS  ON NAME  JL, ST  SPACELAB  EE DATA  See 24 April 2018 Sophora japonica Pagoda tree  N:  7 Canopy  800 No of T  GEMENT  REDUCE RISK	TREE NUMBER/GROUNE REGULATED TREGISTERED T	ARBORCULTURAL ASSESSMENT  JRBAN AMENITY ASSESSMENT  ON NAME RET MANAGE  JL, ST  SPACELAB  EE DATA  EE 24 April 2018  Sophora japonica Pagoda tree  N:  7 Canopy (M)  800 No of Trunks  GEMENT  REDUCE RISK 2	

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	<u> </u>	<u>:2217</u>	IEIN	l
SUMMARY					
		TREE NU	MBER/G	ROUP	205
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
<b>GENERAL TRE</b>	E D	ATA			
Assessment Date 24 April 2018					
Species					
Common Name Pagoda tree					
LOCATION					
E: N:					
Height (M)	11		Canopy	(M)	12
Trunk Circum	15	50	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					
l					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	206
		REG	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
_	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Retuin	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species Sophora japonica					
Common Name Pagoda tree					
LOCATION					
E:	E: N:				
Height (M)	15		Canopy	′ (M)	12
Trunk Circum	15	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	2			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	7	C 422C	:221 <u>v</u>	$ \Box $	I	
SUMMARY						
		TREE NU	MBER/G	ROUP	207	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
P	RBO	ORCULTURAI	L ASSESS	MENT	Р	
ı	JRB.	AN AMENITY	/ ASSESS	MENT	L	
RECOMMENDATI	ON	NAM	E		TAIN AND AGE / REMOVE	
Arborist		JL, ST			Remove	
Landscape Architect		SPACELAB			terriove	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name Desert ash						
LOCATION						
E:			N:			
Height (M)	7		Canopy	(M)	8	
Trunk Circum	14	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 3						
POTENTIAL TO IMPROVE AMENITY 3						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	1				
Canopy Dead Wood	1				
Insect Attack	1				
Disease	1				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



- 11	<u> </u>	E ASSE	. 3310		I V	l .	
SUMMARY							
		TREE NU	MBER/G	ROI	JP	208	
		REC	GULATED	TR	EE	Υ	
		REC	SISTERED	TR	EE	N	
TREE ASSESSI	MEI	NT					
P	RBO	ORCULTURA	L ASSESS	ME	NT	M	
l	JRB	AN AMENIT	ASSESS	ME	NT	М	
RECOMMENDATI	ON	NAM	E	M		TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect		SPACELAB					
GENERAL TRE	E D	ATA					
Assessment Date 24 April 2018							
Species	Pinus radiata						
Common Name Radiata pine							
LOCATION							
E: N:							
Height (M)	14		Canopy	(M	)	12	
Trunk Circum	17	00	No of T	run	ks	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2							
POTENTIAL TO IMPROVE AMENITY 2							
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>		<i>N</i>	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	209
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEN	JT	М
l	JRB.	AN AMENITY	/ ASSESS	MEN	JT	М
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB	PACELAB			
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name Desert ash						
LOCATION						
E:			N:			
Height (M)	11		Canopy	(M)	)	24
Trunk Circum	20	00	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	E ASSE	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	210
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESS	MEI	NT			
,	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	М
	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		- Netaili	
GENERAL TREE DATA					
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa			
Common Name Desert ash					
LOCATION					
E:			N:		
Height (M)	11		Canopy	/ (M)	20
Trunk Circum	20	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					1	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	211
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURA	L ASSESS	MEN	T	М
ı	JRB.	AN AMENITY	/ ASSESS	MEN	NT	М
RECOMMENDATI	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB	Ketaii		recuiii	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species	Fraxinus oxycarpa					
Common Name Desert ash						
LOCATION	LOCATION					
E:			N:			
Height (M)	9		Canopy	(M)	)	21
Trunk Circum	20	00	No of T	runk	<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2				2		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	7	E 422E	:001V		N	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	212
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURA	L ASSESS	MEI	ΤV	М
l	JRB.	AN AMENITY	/ ASSESS	MEI	T	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape SPACELAB			riciani			
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species	Fraxinus oxycarpa					
Common Name Desert ash						
LOCATION	LOCATION					
E:			N:			
Height (M)	11		Canopy	(M	)	14
Trunk Circum	16	00	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	7	E 433E	:221 <u>v</u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	213
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netalli	
GENERAL TREE DATA					
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	12
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	214
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect	- I SDACELAR				
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	8		Canopy	/ (M)	17
Trunk Circum	10	060 <b>No of Trunks</b>		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u>\</u>		. 3314		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	215
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
Ų	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist	JL, ST			Retain	
Landscape SPA		SPACELAB	В		
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			1
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	15		Canopy	(M)	12
Trunk Circum	10	80	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1		<u> </u>	:001V		I	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	RO	UP	216
		REC	GULATED	TR	EE	N
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	DRCULTURAI	L ASSESS	ΜE	NT	М
ι	JRB	AN AMENITY	/ ASSESS	ΜE	NT	Н
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		Netaiii		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species	Casuarina cunninghamiana					
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	10		Canopy	(M	1)	8
Trunk Circum	90	0	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>		<u> </u>	<u> </u>	
SUMMARY							
		TREE NU	MBER/G	ROUF	,	217	
		REC	GULATED	TREE	:	Υ	
		REC	SISTERED	TREE	:	N	
TREE ASSESSI	MEI	NT					
Α	RBC	ORCULTURAI	L ASSESS	MENT	•	М	
ι	JRB	AN AMENITY	/ ASSESS	MENT	•	М	
RECOMMENDATION	ON	NAM	E	-	_	TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect		SPACELAB					
GENERAL TREE DATA							
Assessment Date 24 April 2018							
Species		Pinus radiata					
Common Name Radiata pine							
LOCATION							
E:			N:				
Height (M)	16		Canopy	(M)		8	
Trunk Circum	20	00	No of T	runks		1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2							
POTENTIAL TO IMPROVE AMENITY 2							
NOTES							
Weed species							

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	E ASSE	<u> </u>	ICIN	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	218
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	M
ı	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TREE DATA					
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa 'Raywood'			od'
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	8		Canopy	(M)	8
Trunk Circum	90	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1		E ASSE	:001V		1	l
SUMMARY						
		TREE NU	MBER/G	ROU	Р	219
		REC	GULATED	TRE	Ε	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	Т	М
ι	JRB.	AN AMENIT	/ ASSESS	MEN	Т	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect	scape SPACELAR					
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name	nmon Name Radiata pine					
LOCATION						
E:			N:			
Height (M)	16		Canopy	(M)		12
Trunk Circum	14	50	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I VEE HOOEDOINIEN I					
SUMMARY					
		TREE NU	MBER/G	ROUP	220
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBO	ORCULTURA	L ASSESS	MENT	М
J	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		. Retuin	
GENERAL TREE DATA					
Assessment Dat	essment Date 24 April 2018				
Species		Casuarina cunninghamiana			
Common Name					
LOCATION					
E:			N:		
Height (M)	14		Canopy	/ (M)	12
Trunk Circum	14	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>		IV	<u> </u>
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	221
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBC	DRCULTURAI	L ASSESS	MEI	TV	М
ι	JRB	AN AMENITY	/ ASSESS	MEI	TV	Н
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name						
LOCATION						
E:			N:			
Height (M)	13		Canopy (M) 11		11	
Trunk Circum	13	50	No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>	<u> </u>	N	<u> </u>
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	JP	222
		REC	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	L ASSESS	MEN	JT	М
l	JRB	AN AMENITY	/ ASSESS	MEN	JT	Н
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	E D	ATA				
Assessment Dat	ssessment Date 24 April 2018					
Species		Casuarina cunninghamiana				
Common Name	ne River oak					
LOCATION						
E:			N:			
Height (M)	12		Canopy (M) 10		10	
Trunk Circum	15	00	No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	7	E 433E	<u> </u>	ILIA	l
SUMMARY					
		TREE NU	MBER/G	ROUP	223
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		, recuir	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy (M) 12		12
Trunk Circum	14	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	.3318	<u>  L</u>	I V	l
SUMMARY						
		TREE NU	MBER/G	RO	UΡ	224
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	ME	NT	М
ι	JRB	AN AMENITY	/ ASSESS	ME	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove		Remove
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species	Pinus radiata					
Common Name Radiata pine						
LOCATION						
E:			N:			
Height (M)	12		Canopy (M) 7		7	
Trunk Circum	10	80	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1		<u> </u>	:221A		<i>N</i>	
SUMMARY						
		TREE NU	MBER/G	ROU	JP	225
		REG	GULATED	TRE	EE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	TI	М
l	JRB.	AN AMENIT	/ ASSESS	MEN	JT	М
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect	SPACELAB					
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name Radiata pine						
LOCATION						
E:			N:			
Height (M)	13		Canopy (M)		)	6
Trunk Circum	10	50	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2				2		
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



- 11	<u> </u>	L AJJL	<u> </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	226
		REG	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
ı	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB	Ketaiii		
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species	Eucalyptus mannifera				
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	15		Canopy (M)		7
Trunk Circum	10	30	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	227
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
ρ	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. netuiii	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Eucalyptus mannifera			
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	13		Canopy	/ (M)	6
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u>.                                    </u>	<u> </u>	<u> </u>	<u> </u>
SUMMARY						
		TREE NU	MBER/G	ROUF	,	228
		REC	GULATED	TREE	:	N
		REC	SISTERED	TREE	:	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MENT	•	М
ι	JRB	AN AMENITY	/ ASSESS	MENT	•	М
RECOMMENDATION	ON	NAM	E	-	_	TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name Radiata pine						
LOCATION						
E: N:						
Height (M)	10		Canopy	(M)		4.5
Trunk Circum	95	0	No of T	runks		1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	. 3310		I V	<u> </u>
SUMMARY						
TREE NUMBER/GROUP 229						229
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEI	NΤ	M
l	JRB.	AN AMENIT	/ ASSESS	MEI	TV	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species	Pinus radiata					
Common Name Radiata pine						
LOCATION						
E: N:						
Height (M)	17		Canopy	(M	)	13
Trunk Circum	22	00	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1 [	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	230
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Δ	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. Retuin	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy	/ (M)	8
Trunk Circum	18	00	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	231	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	М	
ι	JRB	AN AMENIT	/ ASSESS	MENT	М	
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		. Retain		
GENERAL TRE	E D	ATA				
<b>Assessment Dat</b>	ssessment Date 24 April 2018					
Species		Casuarina cunninghamiana				
Common Name		River oak				
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	4	
Trunk Circum	10	50	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u>'</u>		. 3310	<u> </u>	W	
SUMMARY						
		TREE NU	MBER/G	ROL	JP	232
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	TI	М
ı	JRB.	AN AMENIT	/ ASSESS	MEN	TI	М
RECOMMENDATI	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB		- Kemove		
<b>GENERAL TRE</b>	E C	ATA				
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name		Radiata pine				
LOCATION						
E:			N:			
Height (M)	17		Canopy (M) 8		8	
Trunk Circum	90	0	No of T	runk	<b>(</b> S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	INLL ASSESSIVILIVI					
SUMMARY						
		TREE NU	MBER/G	RO	UΡ	233
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	ASSESS	ME	NT	М
ι	JRB	AN AMENITY	ASSESS	ME	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove		Remove
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species	Pinus radiata					
Common Name Radiata pine						
LOCATION						
E:			N:			
Height (M)	15		Canopy (M) 4		4	
Trunk Circum	90	0	0 No of Trunks		ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u>۲۲</u>	F 422F	:221V	<u>IEIN</u>	l	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	234	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	M	
ı	JRB.	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND .GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		Netaiii		
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	14		Canopy (M) 8		8	
Trunk Circum	90	0 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I VEE ASSESSIVIEIN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	235
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		. Retuin	
GENERAL TREE DATA					
Assessment Date 24 April 2018					
Species		Eucalyptus mannifera			
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	15		Canopy	(M)	10
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>		E 433E	:221A	ILIA	<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	236	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBO	ORCULTURA	L ASSESS	MENT	M	
ι	JRB.	AN AMENIT	Y ASSESS	MENT	М	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		. Retain		
GENERAL TRE	E D	ATA				
Assessment Dat						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	17		Canopy	(M)	15	
Trunk Circum	12	00	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>		. 5514	<u> </u>	1 4	l
SUMMARY						
		TREE NU	MBER/G	RO	UΡ	237
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	ME	NT	М
ι	JRB	AN AMENITY	/ ASSESS	ΜE	TN	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name						
LOCATION						
E: N:						
Height (M)	14		Canopy (M) 11		11	
Trunk Circum	11	00	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	INLL ASSESSIVILIVI					
SUMMARY	SUMMARY					
		TREE NU	MBER/G	RO	JP	238
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	ME	NT	M
l	JRB.	AN AMENITY	/ ASSESS	MEI	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB		. Retuin		
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION	LOCATION					
E:			N:			
Height (M)	16		Canopy	<b>nopy (M)</b> 16		16
Trunk Circum	11	00	No of Trunks 1		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E 433E	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	239
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 A		24 April 20	18		
Species	Eucalyptus mannifera				
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	16		Canopy	/ (M)	14
Trunk Circum	11	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		l
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	240
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 Apr		24 April 20	18		
Species Casuarina cunni			cunningh	amiana	
Common Name River of		River oak			
LOCATION					
E: N:					
Height (M)	11		Canopy	⁄ (M)	8
Trunk Circum	800 No of Trunks		1		
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	7	C ASSE	<u> </u>		l	
SUMMARY						
		TREE NU	MBER/G	ROUP	241	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESS	ME	NT				
,	ARBO	ORCULTURA	L ASSESS	MENT	M	
	URB.	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		rictaiii		
GENERAL TRI	EE C	ATA				
Assessment Date 24 April 2018						
Species Casuarina cunninghamia			amiana			
Common Name River oal						
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M)	8	
Trunk Circum	90	No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	F 422F	:221A	IEIN	<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	242
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
<b>GENERAL TRE</b>	E D	ATA			
Assessment Date 24 April 20			18		
Species	Quercus robur				
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	19
Trunk Circum	14	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



INLL ASSESSIVILIVI						
SUMMARY						
		TREE NU	MBER/G	RO	JP	243
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MEI	NT	М
ι	JRB	AN AMENITY	/ ASSESS	MEI	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST			F	Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species	Pinus radiata					
Common Name Radiata pine						
LOCATION						
E: N:						
Height (M)	17		<b>Canopy (M)</b> 30		30	
Trunk Circum	19	80	No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	<u> </u>		l
SUMMARY					
		TREE NU	MBER/G	ROUP	244
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESS	MEI	NT			
,	RBC	ORCULTURA	L ASSESS	MENT	M
	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Ketaiii	
GENERAL TRI	E D	ATA			
Assessment Date 24 April 2018					
Species					
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	10		Canopy (M) 8		8
Trunk Circum	90	0	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					I V	l
SUMMARY						
		TREE NU	MBER/G	ROL	JP	245
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURAI	L ASSESS	MEI	TV	М
l	JRB.	AN AMENITY	/ ASSESS	MEI	TV	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape SPACELAB			recum			
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	11		Canopy (M) 16		16	
Trunk Circum	13	50	No of T	runl	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2					2	
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	246
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			ricia
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name					
LOCATION					
E:			N:		
Height (M)	12		Canopy	<b>Canopy (M)</b> 19	
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	247
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB.	AN AMENITY	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netuill	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Eucalyptus mannifera			
Common Name	3				
LOCATION					
E:			N:		
Height (M)	12		Canopy (M) 12		12
Trunk Circum	85	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE HOOEDOIMEIN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	248
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
ι	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		, incluii	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species		Casuarina cunninghamiana			
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	14		Canopy (M) 8		8
Trunk Circum	10	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I VEE YOOEOOIMEIN					N I	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	249
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	TI	М
l	JRB.	AN AMENITY	ASSESS	MEN	T	М
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species						
Common Name White brittle gum						
LOCATION	LOCATION					
E:	E: N:					
Height (M)	14		Canopy (M) 9		9	
Trunk Circum	12	No of Trunks		<b>KS</b>	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN						
SUMMARY						
		TREE NU	MBER/G	ROUP	250	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	M	
l	JRB	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				
GENERAL TRE	GENERAL TREE DATA					
Assessment Dat	<b>p</b>					
Species		Casuarina (	cunningh	amian	a	
Common Name		River oak				
LOCATION						
E:			N:			
Height (M)	10		Canopy (M) 9		9	
Trunk Circum	12	00 No of Trunks		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	2			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					I	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	RO	JΡ	251
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
ρ	RBO	ORCULTURA	L ASSESS	ΜE	NT	Н
l	JRB.	AN AMENITY	/ ASSESS	ME	NT	H
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape SPACELAB		ricia				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	14		Canopy	(M	)	14
Trunk Circum	15	00	No of T	run	ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2				2		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	252
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TRI	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	T	Н
_	JRB.	AN AMENITY	/ ASSESS	MEN	NT	H
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST				Retain
Landscape Architect		SPACELAB			Retuin	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus ro	bur			
Common Name						
LOCATION						
E:			N:			
Height (M)	11		Canopy	(M)	)	16
Trunk Circum	15	00	No of T	runl	<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2				2		
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u>'</u>	L AJJL	. 5517		ı	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	253	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	Н	
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB	3			
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	6		Canopy	(M)	450	
Trunk Circum	12	00 No of Trunks			1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	7	E ASSE	<u> </u>	$ \Box $	I	
SUMMARY						
		TREE NU	MBER/G	ROUP	254	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESS	MEI	NT				
,	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	М	
Į.	JRB.	AN AMENIT	/ ASSESS	MENT	М	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB				
GENERAL TRI	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:			N:			
Height (M)	10		Canopy	(M)	16	
Trunk Circum	15	00	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	255
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		- Netalli	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	13		Canopy	/ (M)	16
Trunk Circum	15	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	:001V		<u> </u>	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	JP	256
		REC	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	ΙT	Н
ι	JRB.	AN AMENIT	/ ASSESS	MEN	IT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION						
E:	E: N:					
Height (M)	13		Canopy	(M)	)	8
Trunk Circum	10	0	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	257
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		- Netalli	
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	16
Trunk Circum	15	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>		. 551 4		A	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROU	Р	258
		REC	GULATED	TRE	Ε	Υ
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
Α	RBO	ORCULTURAI	L ASSESS	MEN	Т	Н
l	JRB.	AN AMENITY	/ ASSESS	MEN	Т	Н
RECOMMENDATION	ON	NAM	E			AIN AND SE / REMOVE
Arborist		JL, ST		Retain		
Landscape Architect	SPACELAB					
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name English oak						
LOCATION	LOCATION					
E:			N:			
Height (M)	12		Canopy	(M)		16
Trunk Circum	15	50	No of T	runk	s	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEIA					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	259
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBO	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	/ ASSESS	MENT	М
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 20:			18		
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	6		Canopy	′ (M)	14
Trunk Circum	15	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1	<u> </u>	E ASSE	<u> </u>	ILIA	<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	260
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			Tretain.
GENERAL TRE	E D	ATA			
Assessment Date 24 A		24 April 20	18		
Species Quercus robur					
Common Name English of		English oak	(		
LOCATION					
E:			N:		
Height (M)	12		Canopy	/ (M)	16
Trunk Circum	15	1500 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	261
		REG	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENITY	/ ASSESS	MENT	H
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist	JL, ST			Retain	
Landscape Architect		SPACELAB		recuiii	
GENERAL TRE	E D	ATA			
Assessment Dat	24 April 20	18			
Species Quercus robur					
Common Name E		English oak			
LOCATION					
E:			N:		
Height (M)	9		Canopy	′ (M)	16
Trunk Circum	15	1500 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



11	<u> </u>	F 422F	:221 <u>v</u>	IEIN	<u> </u>
SUMMARY					
TREE NUMBER/GROUP				ROUP	262
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	Р
ι	JRB	AN AMENIT	/ ASSESS	MENT	L
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Remove
Landscape Architect		SPACELAB			
<b>GENERAL TRE</b>	E D	ATA			
Assessment Date 24 April 20		18			
Species	Casuarina cunninghamiana				
Common Name River oak					
LOCATION					
E:			N:		
Height (M)	10		Canopy	(M)	8
Trunk Circum	1000 No of Trunks		1		
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	1			
Canopy Dead Wood	1			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				

GONE	

TREE ASSESSIVIENT					
SUMMARY					
		TREE NU	MBER/G	ROUP	263
		REG	GULATED	TREE	
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	
l	JRB.	AN AMENIT	Y ASSESS	MENT	
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			
Landscape Architect		SPACELAB			
GENERAL TREE DATA					
Assessment Dat	te 24 April 2018				
Species	GONE				
Common Name					
LOCATION					
E:			N:		
Height (M)		Canopy (M)			
Trunk Circum			No of T	runks	
TREE MANAG	TREE MANAGEMENT				
POTENTIAL TO F	POTENTIAL TO REDUCE RISK				
POTENTIAL TO IMPROVE AMENITY					
NOTES					

ARBORICULTURAL CHARACTERISTICS			
	RATING		
Canopy Density			
Canopy Dead Wood			
Insect Attack			
Disease			
Epicormic Growth			
Mistletoe			
Form			
Age			
Tolerance to Disturbance			
Risk Potential			
Health / Condition			


URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape			
Potential Contribution to Future Landscape			
Visual/ Scenic			
Unique Species			
Habitat Quality			
Habitat Value			
Cultural Value			
Social Value			
Scientific Value			
Remnant Species			
Landscape Tree Group			



I VEE HOOEDOINIEIN I							
SUMMARY							
		TREE NU	MBER/G	ROUP	,	264	
		REC	GULATED	TREE		Υ	
		REC	SISTERED	TREE	:	N	
TREE ASSESSI	MEI	NT					
Α	RBC	ORCULTURA	L ASSESS	MENT	•	Н	
J	JRB.	AN AMENITY	/ ASSESS	MENT	•	Н	
RECOMMENDATION	ON	NAM	E	-	_	AIN AND GE / REMOVE	
Arborist		JL, ST				Retain	
Landscape Architect		SPACELAB					
GENERAL TRE	E D	ATA					
Assessment Dat	ssessment Date 24 April 2018						
Species		Quercus robur					
Common Name		English oak					
LOCATION							
E:			N:				
Height (M)	12		Canopy (M)		16		
Trunk Circum	15	00 No of Trunks			1		
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2							
POTENTIAL TO IMPROVE AMENITY 2							
NOTES							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					IV	I
SUMMARY						
		TREE NU	MBER/G	ROI	JΡ	265
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	ME	TN	Н
l	JRB.	AN AMENITY	/ ASSESS	MEI	NT	H
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Potain		Retain
Landscape Architect		SPACELAB				recuiii
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name		English oak				
LOCATION						
E:			N:			
Height (M)	12		Canopy (M)		14	
Trunk Circum	14	00 No of Trunks 1		1		
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				2		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	3		
Potential Contribution to Future Landscape	3		
Visual/ Scenic	3		
Unique Species	1		
Habitat Quality	1		
Habitat Value	1		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			



TREE ASSESSIVIEN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	266
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	Н
ι	JRB	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		- Netuni	
GENERAL TRE	E D	ATA			
<b>Assessment Dat</b>	:e	24 April 2018			
Species		Quercus ro	bur		
Common Name		English oak			
LOCATION					
E:			N:		•
Height (M)	12	Canopy (M)		16	
Trunk Circum	15	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS			
	RATING		
Canopy Density	3		
Canopy Dead Wood	3		
Insect Attack	3		
Disease	3		
Epicormic Growth	3		
Mistletoe	3		
Form	4		
Age	2		
Tolerance to Disturbance	2		
Risk Potential	2		
Health / Condition	3		

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



	<u> </u>	L AJJL	<u> </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	267
		REG	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Δ	RBO	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		recuiii	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species					
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	12	Canopy (M)		16	
Trunk Circum	15	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I LEE HOOESOINIEIN					l
SUMMARY					
		TREE NU	MBER/G	ROUP	268
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	М
ı	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB		Netani	
GENERAL TRE	GENERAL TREE DATA				
Assessment Date 24 April 2018					
Species	Quercus robur				
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	5	Canopy (M)		10	
Trunk Circum	12	00	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	2			
Canopy Dead Wood	2			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	1			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I LEE HOOESOIVIEIN					
SUMMARY					
		TREE NU	MBER/G	ROUP	269
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		netani	
GENERAL TRE	GENERAL TREE DATA				
Assessment Dat	nent Date 24 April 2018				
Species		Quercus robur			
Common Name		English oak			
LOCATION					
E:			N:		
Height (M)	8	Canopy (M)		12	
Trunk Circum	12	200 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEIN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	270
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
l	JRB.	AN AMENIT	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		Netaiii	
GENERAL TREE DATA					
Assessment Dat	essment Date 24 April 2018				
Species		Quercus robur			
Common Name		English oak			
LOCATION					
E: N:					
Height (M)	13		Canopy (M)		20
Trunk Circum	15	No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS	
	RATING
Contribution to Existing Landscape	3
Potential Contribution to Future Landscape	3
Visual/ Scenic	3
Unique Species	1
Habitat Quality	1
Habitat Value	1
Cultural Value	1
Social Value	1
Scientific Value	1
Remnant Species	1
Landscape Tree Group	



1.1	<u> </u>	E 433E	<u> </u>		<u> </u>
SUMMARY	SUMMARY				
		TREE NU	MBER/G	ROUP	271
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
P	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB	Recuir		
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species Fraxinus oxycarpa 'Raywood			d'		
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	5		Canopy	(M)	5
Trunk Circum	40	0 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	2			
Potential Contribution to Future Landscape	2			
Visual/ Scenic	2			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



IKEE ASSESSIVIEN					<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROU	Р	272
		REC	GULATED	TRE	Έ	N
		REC	SISTERED	TRE	Ε	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	IT	М
l	JRB.	AN AMENITY	/ ASSESS	MEN	IT	М
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Potain		Retain
Landscape Architect		SPACELAB	- Kei		. recuiii	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species Fraxinus oxycarpa 'Raywood'			ď			
Common Name Claret ash						
LOCATION						
E:			N:			
Height (M)	5		Canopy	(M)		5
Trunk Circum	12	60	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1				1		
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	:001V	$ \Box $	I
SUMMARY					
		TREE NU	MBER/G	ROUP	273
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	M
l	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa 'Raywood'			
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	4		Canopy	(M)	7
Trunk Circum	51	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



- 11	<u> </u>	L AJJL	.3318	ILIV	l
SUMMARY					
		TREE NU	MBER/G	ROUP	274
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT	M
J	JRB.	AN AMENITY	/ ASSESS	MENT	M
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species	raxinus oxycarpa 'Raywood'			ď	
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	4		Canopy	(M)	6
Trunk Circum	44	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	C 422C	:001V		I	
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	275	
		REC	GULATED	TREE	N	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURAI	L ASSESS	MENT	М	
ı	JRB.	AN AMENITY	/ ASSESS	MENT	М	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB			rictaiii	
GENERAL TRE	E C	ATA				
Assessment Date 24 April 2018						
Species Fraxinus oxycarpa 'Raywood'			od'			
Claret ash						
LOCATION						
E:			N:			
Height (M)	4		Canopy	(M)	7	
Trunk Circum	53	0	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 1						
POTENTIAL TO IMPROVE AMENITY 1						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



<u> </u>	<u> </u>	F 422F	:221 <u>v</u>	$ \Box $	<u> </u>	
SUMMARY						
		TREE NU	MBER/G	ROUP	276	
		REC	GULATED	TREE	Y	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	MENT	М	
ι	JRB	AN AMENITY	/ ASSESS	MENT	Н	
RECOMMENDATION	ON	NAM	E		ETAIN AND AGE / REMOVE	
Arborist		JL, ST			Retain	
Landscape Architect		SPACELAB		Netum		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018			18			
Species	Eucalyptus mannifera					
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	24		Canopy	(M)	16	
Trunk Circum	15	00	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2				1		
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u>\</u> ∟	L AJJL	<u>.                                    </u>		<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	277
		REC	GULATED	TREE	N
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	M
Į	JRB.	AN AMENIT	/ ASSESS	MENT	M
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST			Retain
Landscape Architect		SPACELAB			
GENERAL TRE	E D	ATA			
Assessment Date 24 April 2018					
Species		Fraxinus oxycarpa 'Raywood'			
Common Name Claret ash					
LOCATION					
E:			N:		
Height (M)	5		Canopy	(M)	8
Trunk Circum	42	0	No of T	runks	1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 1					
POTENTIAL TO IMPROVE AMENITY 1					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	3			
Age	3			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	7	E ASSE	.331V		I V	l	
SUMMARY	SUMMARY						
		TREE NU	MBER/G	RO	UP	278	
		REC	GULATED	TR	EE	Υ	
		REC	SISTERED	TR	EE	N	
TREE ASSESSI	MEI	NT					
A	RBC	ORCULTURA	L ASSESS	ME	NT	Р	
Į	JRB	AN AMENIT	ASSESS	ME	NT	L	
RECOMMENDATION	ON	NAM	E	М		TAIN AND GE / REMOVE	
Arborist		JL, ST			F	Remove	
Landscape Architect SPACELAB							
GENERAL TREE DATA							
Assessment Date 24 April 2018							
Species Fraxinus oxycarpa							
Common Name Desert ash							
LOCATION							
E:			N:				
Height (M)	3		Canopy	(N	1)	6	
Trunk Circum	16	70	No of T	run	ks	1	
TREE MANAGEMENT							
POTENTIAL TO REDUCE RISK 2							
POTENTIAL TO IMPROVE AMENITY 2							
NOTES							
Almost gone							

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	1			
Canopy Dead Wood	1			
Insect Attack	1			
Disease	3			
Epicormic Growth	1			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	4			


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	F 422F	:221A			
SUMMARY						
		TREE NU	MBER/G	ROUP	2	79
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MENT		М
ι	JRB	AN AMENIT	/ ASSESS	MENT		Н
RECOMMENDATION	ON	NAM	E	-	ETAIN AGE /	REMOVE
Arborist		JL, ST			Ref	tain
Landscape Architect		SPACELAB		, neta		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:			N:			
Height (M)	24		Canopy (M) 12		2	
Trunk Circum	11	00	No of T	runks	1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	<u>E ASSE</u>	:221A	<u>IEIN</u>	<u> </u>
SUMMARY	SUMMARY				
TREE NUMBER/GROUP					280
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
Α	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND AGE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		. netam	
<b>GENERAL TRE</b>	E D	ATA			
Assessment Dat	p				
Species		Pinus patula			
Common Name Mexican yellow pine					
LOCATION					
E:	1		N:		
Height (M)	16		Canopy	Canopy (M) 18	
Trunk Circum	21	00	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	4			

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEN					<u> </u>
SUMMARY					
		TREE NU	MBER/G	ROUP	281
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	М
l	JRB	AN AMENIT	Y ASSESS	MENT	Н
RECOMMENDATION	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST		Retain	
Landscape Architect		SPACELAB		, neta	
GENERAL TREE DATA					
Assessment Dat	:e	- · · · · · · · · · · · · · · · · · · ·			
Species		Eucalyptus mannifera			
Common Name White brittle gum					
LOCATION					
E:			N:		
Height (M)	14		Canopy	/ (M)	24
Trunk Circum	19	00 No of Trunks		1	
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	3				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ADDEDDINIEIN						
SUMMARY						
		TREE NU	MBER/G	ROUP		282
		REC	GULATED	TREE		Υ
		REC	SISTERED	TREE		N
TREE ASSESSI	MEI	NT				
A	<b>ARB</b> (	ORCULTURA	L ASSESS	MENT		M
ı	JRB.	AN AMENITY	/ ASSESS	MENT		Н
RECOMMENDATI	ON	NAM	E			AIN AND E / REMOVE
Arborist		JL, ST		Potain		Retain
Landscape Architect		SPACELAB			· Cturr	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Eucalyptus mannifera				
Common Name White brittle gum						
LOCATION						
E:	E: N:					
Height (M)	20		Canopy	(M)		16
Trunk Circum	24	00	No of Trunks			1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	2			
Disease	3			
Epicormic Growth	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	2			
Risk Potential	2			
Health / Condition	3			


URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	3			
Habitat Value	3			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



I KEE ASSESSIVIEIA					<u> V</u>	
SUMMARY						
		TREE NU	MBER/G	ROU	IP	283
		REG	GULATED	TRE	Έ	Υ
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	IT	М
ι	JRB	AN AMENIT	/ ASSESS	MEN	IT	М
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Remove		Remove
Landscape Architect	Cape SPACEL AR					
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name Radiata pine						
LOCATION	LOCATION					
E:	E: N:					
Height (M)	14		Canopy	<b>py (M)</b> 22		22
Trunk Circum	20	60	No of T	runk	S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2					2	
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	TIVEL ASSESSIVILIVI					
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROUP	284	
		REC	GULATED	TREE	Υ	
		REC	SISTERED	TREE	N	
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MENT	M	
ı	JRB.	AN AMENIT	/ ASSESS	MENT	Н	
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE	
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB				
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species	es Casuarina cunninghamiana					
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	18	
Trunk Circum	14	00	No of Trunks		1	
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



I KEE ASSESSIVIEN					V	l
SUMMARY	SUMMARY					
		TREE NU	MBER/G	ROL	JP	285
		REC	GULATED	TRI	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
A	RBO	ORCULTURA	L ASSESS	MEN	T	Р
_	JRB.	AN AMENITY	/ ASSESS	MEN	NT	L
RECOMMENDATION	ON	NAM	E	MA		TAIN AND GE / REMOVE
Arborist		JL, ST		Pomovo		Remove
Landscape Architect		SPACELAB			temove	
GENERAL TRE	E D	ATA				
Assessment Date 24 April 2018						
Species		Fraxinus oxycarpa				
Common Name Desert ash						
LOCATION						
E:			N:			
Height (M)	13		Canopy	(M)	)	7
Trunk Circum	14	00	No of T	runl	<b>(S</b>	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	1				
Insect Attack	2				
Disease	3				
Epicormic Growth	1				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	4				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	INLL ASSESSIVILIVI					
SUMMARY						
		TREE NU	MBER/G	ROU	JP	286
		REG	GULATED	TRE	ΞE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURA	L ASSESS	MEN	ΙT	М
ι	JRB.	AN AMENIT	/ ASSESS	MEN	ΙT	Н
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB				
GENERAL TRE	GENERAL TREE DATA					
Assessment Date 24 April 2018						
Species		Casuarina cunninghamiana				
Common Name River oak						
LOCATION						
E:			N:			
Height (M)	13		Canopy (M) 13		13	
Trunk Circum	15	00	No of Trunks		(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	2				
Visual/ Scenic	2				
Unique Species	1				
Habitat Quality	2				
Habitat Value	3				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



1.1	<u> </u>	E ASSE	<u>. 331V</u>	<u>                                     </u>	A I	
SUMMARY						
		TREE NU	MBER/G	ROU	ΙP	287
		REG	GULATED	TRE	Έ	Υ
		REC	SISTERED	TRE	E	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURA	L ASSESS	MEN	IT	M
ι	JRB	AN AMENIT	/ ASSESS	MEN	ΙT	M
RECOMMENDATION	ON	NAM	E	MA		AIN AND GE / REMOVE
Arborist		JL, ST		Remove		
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name Radiata pine						
LOCATION						
E:			N:			
Height (M)	17		Canopy	(M)		14
Trunk Circum	19	00	No of T	runk	(S	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



	<u> </u>	L AJJL	. 5510		IA	l
SUMMARY						
		TREE NU	MBER/G	RO	JΡ	288
		REC	GULATED	TR	EE	Υ
		REC	SISTERED	TR	EE	N
TREE ASSESSI	MEI	NT				
Α	RBC	ORCULTURAI	L ASSESS	ME	NT	М
ι	JRB	AN AMENITY	/ ASSESS	ME	NT	М
RECOMMENDATION	ON	NAM	E	M		TAIN AND GE / REMOVE
Arborist		JL, ST		Remove		Remove
Landscape Architect		SPACELAB				
GENERAL TREE DATA						
Assessment Date 24 April 2018						
Species		Pinus radiata				
Common Name Radiata pine						
LOCATION						
E:			N:			
Height (M)	13		Canopy	Canopy (M) 15		15
Trunk Circum	20	00	No of Trunks		ks	1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	2				
Canopy Dead Wood	2				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	1				
Health / Condition	2				


URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	2				
Potential Contribution to Future Landscape	1				
Visual/ Scenic	1				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	E ASSE	<u> </u>		
SUMMARY					
		TREE NU	MBER/G	ROUP	289
		REC	GULATED	TREE	Υ
		REC	SISTERED	TREE	N
TREE ASSESSI	MEI	NT			
A	RBC	ORCULTURA	L ASSESS	MENT	Н
ı	JRB.	AN AMENITY	/ ASSESS	MENT	Н
RECOMMENDATI	ON	NAM	E		TAIN AND GE / REMOVE
Arborist		JL, ST	L, ST		Retain
Landscape Architect		SPACELAB		rictaiii	
GENERAL TREE DATA					
Assessment Date 24 April 2018					
Species		Quercus robur			
Common Name English oak					
LOCATION					
E:			N:		
Height (M)	12		Canopy	(M)	13
Trunk Circum	13	50	No of Trunks		1
TREE MANAGEMENT					
POTENTIAL TO REDUCE RISK 2					
POTENTIAL TO IMPROVE AMENITY 2					
NOTES					

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS				
	RATING			
Contribution to Existing Landscape	3			
Potential Contribution to Future Landscape	3			
Visual/ Scenic	3			
Unique Species	1			
Habitat Quality	1			
Habitat Value	1			
Cultural Value	1			
Social Value	1			
Scientific Value	1			
Remnant Species	1			
Landscape Tree Group				



1.1		<u> </u>	:001V			
SUMMARY						
		TREE NU	MBER/G	ROUF	•	290
		REC	GULATED	TREE	:	Υ
		REC	SISTERED	TREE	:	N
TREE ASSESSI	MEI	NT				
A	RBC	ORCULTURAI	L ASSESS	MENT	-	Н
ι	JRB	AN AMENITY	/ ASSESS	MENT	Γ	Н
RECOMMENDATION	ON	NAM	E			AIN AND GE / REMOVE
Arborist		JL, ST		Retain		Retain
Landscape Architect		SPACELAB		Netani		
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 2018						
Species		Quercus robur				
Common Name	0					
LOCATION						
E:			N:			
Height (M)	12		Canopy	(M)		17
Trunk Circum	15	00	No of T	runks		1
TREE MANAGEMENT						
POTENTIAL TO REDUCE RISK 2						
POTENTIAL TO IMPROVE AMENITY 2						
NOTES						

ARBORICULTURAL CHARACTERISTICS					
	RATING				
Canopy Density	3				
Canopy Dead Wood	3				
Insect Attack	3				
Disease	3				
Epicormic Growth	3				
Mistletoe	3				
Form	4				
Age	2				
Tolerance to Disturbance	2				
Risk Potential	2				
Health / Condition	3				

URBAN AMENITY CHARACTERISTICS					
	RATING				
Contribution to Existing Landscape	3				
Potential Contribution to Future Landscape	3				
Visual/ Scenic	3				
Unique Species	1				
Habitat Quality	1				
Habitat Value	1				
Cultural Value	1				
Social Value	1				
Scientific Value	1				
Remnant Species	1				
Landscape Tree Group					



11	<u> </u>	F 422F	<u>:2217</u>	<u>                                     </u>	<u> </u>	l
SUMMARY						
TREE NUMBER/GROUP			JP	291		
		REC	GULATED	TRE	EE	Υ
		REC	SISTERED	TRE	EE	N
TREE ASSESSI	MEI	NT				
ARBORCULTURAL ASSESSMENT			TI	М		
ι	JRB	AN AMENITY	/ ASSESS	MEN	<b>IT</b>	M
RECOMMENDATION	ON	NAM	E	RETAIN AND MANAGE / REMOVE		
Arborist		JL, ST		Retain		
Landscape Architect		SPACELAB				
<b>GENERAL TRE</b>	E D	ATA				
Assessment Date 24 April 20		18				
Species		Crataegus '	Crataegus 'Smithiana'			
Common Name Red Mexican haw		an hawth	orn			
LOCATION						
E:			N:			
Height (M)	7		Canopy	(M)	)	14
Trunk Circum	17	00	No of T	runk	(S	1
TREE MANAG	ΕM	IENT				
POTENTIAL TO REDUCE RISK 1			1			
POTENTIAL TO IMPROVE AMENI			ITY		1	
NOTES						
Weed species						

ARBORICULTURAL CHARACTERISTICS				
	RATING			
Canopy Density	3			
Canopy Dead Wood	3			
Insect Attack	3			
Disease	3			
<b>Epicormic Growth</b>	3			
Mistletoe	3			
Form	4			
Age	2			
Tolerance to Disturbance	3			
Risk Potential	3			
Health / Condition	2			

URBAN AMENITY CHARACTERISTICS			
	RATING		
Contribution to Existing Landscape	2		
Potential Contribution to Future Landscape	2		
Visual/ Scenic	2		
Unique Species	1		
Habitat Quality	1		
Habitat Value	1		
Cultural Value	1		
Social Value	1		
Scientific Value	1		
Remnant Species	1		
Landscape Tree Group			

#### **BLOCK 1 SECTION 13 WATSON - TREE ASSESSMENT**

#### 7. Appendix B Tree Assessment Plans

# **APPENDIX B** TREE ASSESSMENT PLANS

Job No: J18-00390 Issue Date: 02.05.2018 Status: Rev A M:\Projects\2018\J18-00390-Watson Block 1 Section 13 Tree Assessment\2-Working File\Documents\Landscape\J18-00390 Watson

Block 1 Section 13 Tree Assessment\_A.docx

# **BLOCK 1 SECTION 13 WATSON** ARBORICULTURAL TREE ASSESSMENT

PROJECT No. J18-00390 ISSUE DATE: 02.05.2018

CLIENT



ENVIRONMENT PLANNING AND SUSTAINABLE DEVELOPMENT

CONSULTANT





#### DRAWING SCHEDULE


TREE ASSESSMENT DRAWINGS:


Drawing NO.	Drawing Title	Scale @A3	Revision
TA1	TREE ASSESSMENT - AREA A OVERALL ARBORICULTURAL	1:750	Α
TA-ARB-1	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 1	1:200	Α
TA-ARB-2	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 2	1:200	Α
TA-ARB-3	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 3	1:200	Α
TA-ARB-4	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 4	1:200	Α
TA-ARB-5	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 5	1:200	Α
TA-ARB-6	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 6	1:200	Α
TA-ARB-7	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 7	1:200	Α
TA-ARB-8	TREE ASSESSMENT - ARBORICULTURAL ASSESSMENT SHEET 8	1:200	Α





This drawing remains the property of **SPACE**LAB Studio Pty Ltd. It may be used for the purpose for which it was commissioned & in accordance with the terms of engagement for that commission. Unauthorised use of the drawing is prohibited


SHEET LAYOUT OVERVIEW




















# BLOCK 1 SECTION 13 WATSON URBAN AMENITY TREE ASSESSMENT

PROJECT No. J18-00390 ISSUE DATE: 02.05.2018

CLIENT



ENVIRONMENT PLANNING AND SUSTAINABLE DEVELOPMENT DIRECTORATE - LIRBAN PROJECT:

CONSULTANT





#### DRAWING SCHEDULE

TREE ASSESSMENT DRAWINGS:

Drawing NO.	Drawing Title	Scale @A3	Revision
TA1	TREE ASSESSMENT - AREA A OVERALL URBAN AMENITY	1:750	Α
TA-URB-1	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 1	1:200	Α
TA-URB-2	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 2	1:200	Α
TA-URB-3	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 3	1:200	Α
TA-URB-4	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 4	1:200	Α
TA-URB-5	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 5	1:200	Α
TA-URB-6	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 6	1:200	Α
TA-URB-7	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 7	1:200	Α
TA-URB-8	TREE ASSESSMENT - URBAN AMENITY ASSESSMENT SHEET 8	1:200	Α

COPYRIGHT

This drawing remains the property of **SPACE**LAB Studio Pty Ltd. It may be used for the purpose for which it was commissioned & in accordance with the terms of engagement for that commission. Unauthorised use of the drawing is prohibited

SHEET LAYOUT OVERVIEW



